

# VILLAGE OF STICKNEY

6533 West Pershing Road  
Stickney, Illinois 60402-4048  
Phone - 708-749-4400  
Fax - 708-749-4451



David DeLeshe  
Sam Savopoulos

Village Trustees  
Martha Gomez  
Patrick Sleighter

James Lazansky  
Jeff White



Deborah E. Morelli  
Village President

Kurt Kasnicka  
Village Treasurer

Audrey McAdams  
Village Clerk

## REGULAR MEETING BOARD OF TRUSTEES

**May 20, 2014**

### Meeting Agenda

1. Call to Order
2. Pledge of Allegiance
3. Roll Call
4. Approve Minutes of Previous Regular Meeting
5. Authorize Payment of Bills
6. Approve the Illinois Department of Transportation Agreement
7. Accept the Report of Illinois Department of Revenue
8. Accept the Report of the Illinois Department of Transportation
9. Approve Resolution 03-2014, A Resolution Authorizing the Conveyance by the Village of Stickney of the Property Commonly Described as 4026 Euclid Avenue
10. Approval to Purchase Ambulance
11. Approve Request from the Stickney VFW to conduct their Poppy Day solicitation on May 22, 23 & 24, 2014
12. Approve Request from the Stickney American Legion to conduct their Poppy Day solicitation May 19 through May 26, 2014
13. Grant permission to the Stickney-Forest View Lions Club to hold a Charity 5 K Run/Walk for Breast Cancer Research on Sunday, September 28, 2014 at 8:00 a.m.
14. Approve the request for the Stickney-Forest View Library block party request for June 7, 2014
15. Approve recommendation for hiring auxiliary police officer
16. Report from the Mayor
17. Report from the Clerk
18. Trustee Reports/Committee Reports
19. Reports from Department Heads
20. Old Business
21. New Business:
22. Audience Questions
23. Adjournment

**Posted May 16, 2014**

**May 6, 2014**

**State of Illinois  
County of Cook  
Village of Stickney**

**The Board of Trustees of the Village of Stickney met in regular session on Tuesday, May 6, 2014 at 7:00 p.m. in the Stickney Village Hall, 6533 W. Pershing Road, Stickney, Illinois.**

**Upon the roll call, the following Trustees were present:**

**Present: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White**

**Trustee Gomez moved, duly seconded by Trustee Sleigher, to approve the minutes of the previous regular session on Tuesday, April 15, 2014.**

**Upon the roll call, the following Trustees voted:**

**Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White**

**Nays: None**

**President Morelli declared the motion carried.**

**Trustee Lazansky moved, duly seconded by Trustee White that the bills, approved by the various committees of the Board, be approved for payment, and to approve warrants which authorize the Village Treasurer to draw checks to pay the bills, to be signed by the authorized signers, as provided for by the Ordinances of the Village of Stickney.**

**Upon the roll call, the following Trustees voted:**

**Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White**

**Nays: None**

**President Morelli declared the motion carried.**

**Trustee Gomez moved, duly seconded by Trustee Sleigher to pass and approve Ordinance 2014-03 Amending Motor Vehicles and Traffic by adding Overnight Parking Restrictions.**

**Upon the roll call, the following Trustees voted:**

**Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White**

**Nays: None**

**President Morelli declared the motion carried.**

**Prior to the vote conversation was held. Trustee Lazansky asked if all the residents will be notified before tickets are issued and will signs be posted and how much will that cost. At this time there is no answer as to the cost. Deputy Police Chief Jaczak explained that warning notices will be placed on windshields and Code Red will notify people Village wide. The intent is not to punish people but to get compliance. Attorney Donald Kreger explained that the people who live here will benefit. He went on to explain that overnight parking on village streets will be limited to residents only. There are provisions for calls to be made to the police department where**

requests could be made to inform them of overnight guests from 2:00 a.m. to 6:00 a.m. Trustee White explained that this ordinance will alleviate some of the parking problems. Deputy Chief Jaczak clarified that a portion of the problem is that the resident's have too many cars. He continued to say that there are cars that actually belong in Berwyn. Our tickets are not as expensive as Berwyn. Someone suggested using zoned parking. The attorney commented that if people are going to have all these cars, they are going to have to register with the village. Trustee White injected that we have had complaints with the parking. People have asked for help. He felt that this could make a difference.

Trustee Lazansky moved, duly seconded by Trustee Gomez to approve Resolution 01-2014 Approving Asset Disposition Services Agreement by and between Propertyroom.com, Inc. and the Village of Stickney.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Prior to the vote Police Chief John Sladetz informed us that Propertyroom.com helps police departments take care of things such as unclaimed property, seized property and there is a large collection of evidence that dates back as much as ten years. This company could auction on site and give us a percentage. They will take things, as an example, such as a snow blower or yard implements and refurbish them, tag them and auction them. We will get a percentage of that. If it is an on-site action we get 85% and they get 15%. If it is an off-site action we get 50% and they get 50%. Either way we are making money. This company has municipalities all over the country. They could action seized vehicles.

Trustee Lazansky moved, duly seconded by Trustee Gomez to approve Resolution 02-2014 Approving the Authorizing Participation in Emergency Mutual Aid Agreement.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee White moved, duly seconded by Trustee Savopoulos, to concur with the Mayor on the appointments to the various Trustee Committees.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

AIR POLLUTION

BLIGHT

HOMELAND SECURITY/ DISASTERS

DELESHE, SLEIGHER, GOMEZ, LAZANSKY, WHITE

WHITE, SAVOPOULOS, DELESHE, GOMEZ, LAZANSKY

DELESHE, SAVOPOULOS, SLEIGHER, GOMEZ, LAZANSKY

DRAINAGE, WATER & LIGHT	GOMEZ, SAVOPOULOS, DELESHE, WHITE, SLEIGHER
FEDERAL & STATE GRANTS	SLEIGHER, DELESHE, GOMEZ, SAVOPOULOS, WHITE
FINANCE	LAZANSKY, GOMEZ, DELESHE, SAVOPOULOS, SLEIGHER
FIRE	GOMEZ, DELESCH, LAZANSKY, SLEIGHER, SAVOPOULOS
INSURANCE AND SAFETY	DELESHE, WHITE, GOMEZ, LAZANSKY, SAVOPOULOS
LICENSE	LAZANSKY, GOMEZ, DELESHE, SAVOPOULOS, WHITE
ORDINANCE & PUB. PRINTING	SAVOPOULOS, WHITE, LAZANSKY, SLEIGHER, DELESCH
PARKS AND RECREATION	GOMEZ, SLEIGHER, DELESHE, SAVOPOULOS, WHITE
POLICE	LAZANSKY, DELESHE, GOMEZ, SAVOPOULOS, SLEIGHER
PRIVATE BLDGS/CONSTRUCTION	SLEIGHER, LAZANSKY, DELESCH, SAVOPOULOS, WHITE
PUBLIC BLDGS & GROUNDS	SLEIGHER, LAZANSKY, DELESCH, SAVOPOULOS, GOMEZ
PUBLIC WORKS/WATER DEPT	LAZANSKY, DELESHE, GOMEZ, SAVOPOULOS, WHITE
RAILROAD AND BRIDGES	GOMEZ, SLEIGHER, DELESHE, SAVOPOULOS, WHITE
RECYCLING AND WASTE	SAVOPOULOS, LAZANSKY, DELESHE, GOMEZ, WHITE
STREETS AND SIDEWALKS	SAVOPOULOS, LAZANSKY, GOMEZ, DELESCH, SLEIGHER
TREES	SLEIGHER, GOMEZ, LAZANSKY, SAVOPOULOS, WHITE
ZONING/ZONING ORDINANCES	SLEIGHER, LAZANSKY, DELESHE, GOMEZ, WHITE

Trustee White asked for a motion to make all appointments individually. Attorney Donald Kreger stated that they are listed separately and they will be done one at a time.

Trustee Lazansky moved, duly seconded by Trustee Gomez to concur with the Mayor's appointment of John Sladetz for Police Chief.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee White moved, duly seconded by Trustee Savopoulos to concur with the Mayor's appointment of Larry Meyer for Fire Chief.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee Lazansky moved duly seconded by Trustee Sleigher to concur with the Mayor's appointment of Jeff Boyajian as Public Works Supervisor.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Lazansky, Savopoulos, Sleigher and White

Present: Trustee Gomez

Nays: None

President Morelli declared the motion carried.

Trustee Lazansky moved, duly seconded by Trustee Gomez to concur with the Mayor's appointment of Kurt Kasnicka for Village Treasurer/Collector.



Upon the roll call, the following Trustees voted:  
Ayes: Trustees Gomez, Lazansky and Sleigher  
Nays: Trustees De Leshe, Savopoulos and White  
President Morelli voted Aye  
President Morelli declared the motion carried.

Clerk Audrey McAdams asked the board to concur with her appointment of Kurt Kasnicka as Deputy Clerk.

Trustee Lazansky moved, duly seconded by Trustee Gomez to concur with Clerk McAdams' appointment of Kurt Kasnicka as Deputy Clerk.

Upon the roll call, the following Trustees voted:  
Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White  
Nays: None  
President Morelli declared the motion carried.

Trustee Savopoulos moved, duly seconded by Trustee White to concur with the Mayor's appointment of David Schmidt as Building Inspector.

Upon the roll call, the following Trustees voted:  
Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White  
Nays: None  
President Morelli declared the motion carried.

Trustee Lazansky moved, duly seconded by Trustee Sleigher to concur with the Mayor's appointment of Vito Martinkus as Plumbing Inspector.

Upon the roll call, the following Trustees voted:  
Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White  
Nays: None  
President Morelli declared the motion carried.

Trustee Lazansky moved, duly seconded by Trustee White to concur with the Mayor's appointment of Fredrich Kuchta as Electrical Inspector.

Upon the roll call, the following Trustees voted:  
Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White  
Nays: None  
President Morelli declared the motion carried.

Trustee Lazansky moved, duly seconded by Trustee Sleigher to concur with the Mayor's appointment of Michael Baumgartner to the Police Pension Board to serve this term beginning May 20, 2014 and ending April 30, 2016.

Upon the roll call, the following Trustees voted:  
Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White  
Nays: None  
President Morelli declared the motion carried.

Trustee Lazansky moved, duly seconded by Trustee Sleigher to concur with the Mayor's appointment of James Draz to the Police and Fire Commission to serve his term beginning May 20, 2014 and ending April 30, 2017.

Prior to the vote, Mayor Morelli asked Mrs. Draz to stand up and speak to the appointment. Mrs. Draz explained that her husband, James Draz, is a detective for the Cook County Sheriff's Police Department and unfortunately he couldn't be here because he is working on a major case right now.

Trustee Gomez asked if he is replacing someone. Mayor Morelli replied that he is replacing Al Brinker. Trustee De Lesch questioned if Al Brinker didn't want to do it anymore. Mayor Morelli answered that his term was up.

Upon the roll call, the following Trustees voted:

Ayes: Trustees Lazansky and Sleigher

Present: Trustee Gomez

Nays: Trustee De Lesch, Savopoulos, White

President Morelli declared the motion failed.

Trustee White asked to make a motion to reappoint Al Brinker to that position. Attorney Donald Kreger remarked that that can't happen that Al Brinker will continue. Trustee White questioned if that meant that he would continue for another term. Mayor Morelli said, "Until next year." Donald Kreger explained, until another appointment is made and agreed to. He continued to say that the rule is, "The existing continues until his successor is appointed and qualified."

Trustee Lazansky moved, duly seconded by Trustee Gomez to concur with the Mayor's appointment of the following to serve on the Emergency Telephone System Board (911) with the terms beginning May 20, 2014 and ending April 30, 2015: As voting members; John Babinec, David Gesiorski, Jeff Boyaijan, Richard Jaczak, Doug Czech, Colette Pawlowski and Mark Kuser.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee White moved, duly seconded by Trustee Savopoulos to concur with the Mayor's appointment of the following to serve on the Executive Safety Committee with the terms beginning May 20, 2014 and ending April 30, 2015: Trustee Martha Gomez, Kurt Kasnicka, Darlene Pregara, Beth Lukas, Richard Jaczak, John Sladetz, Jeff Boyajian, Doug Czech, Larry Meyer, Thomas Heller and John Babinec.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee Gomez moved, duly seconded by Trustee White to concur with the Mayor's appointment of the following members to serve on the Tree Board beginning on May 20, 2014 and ending April 30, 2015: Douglas Czech, Patrick Sleigher, Jeff Boyaijan, Collette Pawlowski, Beth Lukas and Frank Figueroa.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee White moved, duly seconded by Trustee Gomez to concur with the Mayor's appointment of Jacqui Magsaysay as Chairperson to the Parks and Recreation Committee.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee White moved, duly seconded by Trustee Savopoulos to concur with the Mayor's appointment of Linda Bruscato as Co-Chairperson to the Parks and Recreation Committee.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee Gomez moved, duly seconded by Trustee Lazansky to concur with the Mayor's appointment of Kristen Draz as Secretary to the Parks and Recreation Committee.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee Gomez moved, duly seconded by Trustee White to concur with the Mayor's appointment of Jody Nolte to the Parks and Recreation Committee.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee White moved, duly seconded by Trustee Savopoulos to concur with the Mayor's appointment of Mitch Milenkovic to the Parks and Recreation Committee.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee White moved, duly seconded by Trustee Savopoulos to concur with the Mayor's appointment of Natasha Dzolic to the Parks and Recreation Committee.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee Gomez moved, duly seconded by Trustee Lazansky to concur with the Mayor's appointment of Geralyn Fitzgerald to the Parks and Recreation Committee.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee White moved, duly seconded by Trustee Savopoulos to concur with the Mayor's appointment of Ron Unguro to the Parks and Recreation Committee.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee Lazansky moved, to concur with the Mayor's appointment of Joe Alesia to the Parks and Recreation Committee; hearing no second, this motion failed.

Attorney Donald Kreger asked if Mr. Alesia is replacing somebody. Trustee Sleigher asked if he is on the board. Attorney Kreger said he is not on the board.

Trustee Savopoulos moved, duly seconded by Trustee White to concur with the Mayor's appointment of Trustee Gomez to the Parks and Reaction Committee.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Prior to the vote Trustee White questioned if there is suppose to be two students on this board. Trustee Gomez explained that she has been unable to find two students to serve on the board.

Trustee Lazansky moved, duly seconded by Trustee Savopoulos to concur with the Mayor's appointment of Donald Kreger as the Village Attorney.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee White moved, duly seconded by Trustee Sleigher to concur with the Mayor's appointment of Lauren Plahm as the Village Adjudicator.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Prior to the vote Trustee DeLesch asked if she is the current adjudicator. He was told that she was.

Trustee Lazansky moved, duly seconded by Trustee Sleigher to concur with the Mayor's appointment of John Xydakis as the Village Prosecutor.

Upon the roll call, the following Trustees voted:

Ayes: Trustees Lazansky, Gomez, Sleigher

Nays: Trustee DeLeshe, Savopoulos and White

Mayor Morelli voted Aye and broke the tie.

Mayor Morelli declared the motion carried

After the vote Trustee White showed a piece of paper that he said was floated around our village. He said that he asked this mayor at that time if she knew where this paper came from and mentioned that John Xydakis started this and she said, "I know". He said she admitted to me that he (Xydakis) did this. The mayor commented that she never said that. Trustee White then said that he had another resident here in the village handing it door-to-door. This was nine months ago. Trustee White then said that on numerous occasions the mayor was in his office and told him that she was not going to reappointment him (John Xydakis) and that in fact you were going to get rid of him. What she did was she got rid of him from the adjudication and kept him on as the prosecutor. Therefore, he still gets a check from this village. He is an unethical person. Anybody who would do this (as Trustee White held up the flyer in question) to a trustee and an ex-trustee who is no longer on this board, this is an unethical person. That is my opinion and I have to voice that because the people here need to know this. Trustee White continued by saying that (John Xydakis) works for the village and he still does your campaign finance reports. They need to know that. Trustee Lazansky stated that Trustee White remarked that he told him that he was a big loser. Trustee Lazansky then confirmed that John Xydakis is a good man. Trustee White said my point exactly and that politics has no place in Village business. At this point interaction was going on between Trustee White and audience member Daniel Fuentes. The interaction continued and Trustee White remarked that

Daniel Fuentes was making threats to him from the audience and asked that he be removed. Trustee White said that he was out of order. Fuentes left the premises and remarked, "Wait until the next meeting."

**MAYOR'S REPORT:** We were reminded that May is Mental Health Awareness Month. She was asked to share this information from the Stickney Township Clinic. There are handouts available in the lobby from the clinic.

**CLERK'S REPORT:** Correspondence was received that pertains to the Commonwealth Edison Company's rate increase. There will be a hearing at the Michael Bilandic Building on May 8, 2014. Further correspondence explains that the rates will take effect on the first day of January, 2015 monthly billing period. The new delivery service charges would increase by about \$3 on the average monthly residential bill.

**TRUSTEE'S REPORTS:** Trustee Gomez wished a happy Mother's Day to the mothers.

Trustee Lazansky moved, duly seconded by Trustee Gomez to accept the treasurer's report for the month of February, 2014.

Upon the roll call, the following Trustees voted:

Ayes: Trustees De Lesch, Gomez, Lazansky, Savopoulos, Sleigher and White

Nays: None

President Morelli declared the motion carried.

Trustee Lazansky provided the police report for the month of April, 2014. The total number of calls for service: 1,853, Total number of E911 calls received: 357, Arrest by type: Traffic: 175, Village Ordinance Offences: 15, Warrants and Complaints: 13, Parking violations: 324, Total number of arrests/citations issued: 527, Total number of squad miles: 12,486, Total amount of gasoline used: 1,198, Average gas mileage/squad: 10.423 mpg.

Ordinance Activity Report for the month of April, 2014: Ordinance Investigations: 418, Business License Investigations: 10, Violation Notices Issued: 7, Miscellaneous Details: 186, S.L.O. Tickets: 0, Parking Citations Issued: 124

Mayor Morelli handed over a list of sidewalks needing repairs to Trustee Savopoulos now that he is the chairman of the sidewalk committee to help him get started with reports.

Trustee Sleigher gave a tree report and explained that he attended a workshop last week. He learned that we are on the cusp of the Historic Watershed for Lake Michigan. So we will be available for funding to replace some of our trees. He announced that he is in the process of acquiring a grant to help get back some trees. The Tree Board will be meeting to complete the grant application.

**DEPARTMENT REPORTS:** Police Chief John Sladetz thanked the mayor and the board for their continued support and promised to continue to give 110%. He thanked the



board for passing the resolution to approve Propertyroom.com Trustee Sleigher asked about the dramatic rise of noise complaints going up by 50%. The Chief explained that there was a bar down the street called TaBu Bar. The TaBu Bar just had their license revoked. Deputy Chief Jaczak explained that they have made some changes on how they handle the reporting of a noise call. Now they get names and information and enter it in their system. So, when the second, third, or fourth call is made, they will start writing that person tickets. They are documenting it more times now.

Fire Chief Larry Meyer announced that the spring season fire hydrant flushing will take place soon. The residents will be notified via our Code Red system. There will be sediment in the water. The flushing keeps the hydrants flowing. In addition, we learned that the 2007 ambulance was inspected and found to have corrosion on the frame. During the repair, the 1999 ambulance will be used. The department helped at the recent Oak Park house fire.

**OLD BUSINESS:** Attorney Donald Kreger explained that the Award Bid for Children's Park Improvements to Fuerte Systems, Inc., per recommendation of Land Tech Design, LTD. is on the agenda again is due to the fact that it was tabled at the previous meeting to this meeting. All that is left on it is discussion. It was the motion that was tabled not the matter. Trustee Patrick Sleigher thought that Trustee De Lesch tabled it because he wanted public works to take out the old toys. Trustee De Lesch injected that he wanted it tabled because of the need for an ambulance. Trustee White questioned the fire chief if any progress was made on the subject of the ambulance. Attorney Donald Kreger asked if the money was set aside. Treasurer Kurt Kasnicka explained that the ambulance will be on the agenda for the May 20, 2014 meeting. He will be putting together information on where we are financially and what our options are. He provided extensive information on the details pertaining to ordering an ambulance and what our options are. He noted that money was put aside over the last few years for an ambulance. A new ambulance will take 8 ½ months to build. Treasurer Kasnicka stated that he is trying to put together the most accurate numbers. Trustee De Lesch asked if that will be available in two weeks. The treasurer said that he will have a packet together with options. Trustee White wanted to know what the cost would be. Kasnicka did say that money had been put aside over the last few years for this. Trustee De Lesch remarked that the ambulance should be considered first so they know the cost. Trustee White said that we should know the cost first and injected that at the last meeting the treasurer said that we didn't have the money. The treasurer responded that it would be close. A continuation of the subject ensued.

A vote was taken on the motion concerning the park. This was the motion that was tabled.

Upon roll call, the following Trustees voted:  
Ayes: Trustees Gomez, Lazansky and Sleigher  
Nays: Trustee DeLeshe, Savopoulos and White  
Mayor Morelli voted Aye and broke the tie.  
Mayor Morelli declared the motion carried

**NEW BUSINESS:** Attorney Donald Kreger provided the board with a draft for the handicap parking ordinance. He didn't think it should be held tonight. He felt that it could go to a committee or you could ask questions. Trustee De Lesch asked of the



need for two signs. The attorney said that will show the parallel parking space. Trustee White asked if that would eliminate the painting of the curbs. Yes it would. Public Works Supervisor Jeff Boyajian suggested that this go to a committee to discuss this. He also remarked that the police, public works and someone from the board should discuss this. Attorney Donald Kreger informed the board that he welcomes phone calls from the trustees and doesn't bill for these calls.

The Great Bull Run LLC and Tomato Fight special event application was discussed. A member of the audience addressed the board giving testimony against this activity. Numerous examples were given. She also provided the inhuman conditions raised for the animals. She informed us of an on-line-petition against this event. Attorney Donald Kreger explained that this is a situation to inform the board. This board really isn't taking action on the permit. The question is to whether we absolutely have to, based on our ordinances. And, we will be reviewing that. That is why it is going to committee. And, I doubt that this board based on heads of departments are required to issue, or not issue it, based on our ordinances and state law. Basically, I (Donald Kreger) reviewed it. If it goes to committee, I (Donald Kreger) will report to that committee what his review shows. An audience member asked who ultimately makes the decision as to whether they are granted the permit. Attorney Donald Kreger said that he didn't recall for sure but they don't make the decision to grant certain permits. They may ratify it or they may turn it around. Or, they may wish to amend their ordinance. Another audience member spoke against the special event permit. She works with the Companion Animal Protection Society. Her testimony was dramatic and descriptive on treatment of the animals. She described how the bulls are herded into trucks and transported for hundreds of miles. They are thrown panic ridden into an arena where screaming fans scare them. The bulls run into barriers and break legs. She would like to hear from the Great Bull Run people as to what they do to those animals when they get hurt. If a horse breaks a leg it is usually fatal. There is no reason to exploit animals for profit. She questioned if our ambulance and emergency services are equipped to service the aftermath of this event. She mentioned that over the last five years 33 people have been gored with the bull's horns penetrating through someone's body. Finally, a letter was read from Dr. Holly Cheever, a bovine veterinarian who provided testimony that this event is extremely stressful to the animals and is exploiting fear and panic. It runs the risk of injury to the animals as well as to the participants. Animals should not have to suffer for human selfishness, boredom, greed, or stupidity.

There being no further business, Trustee Lazansky moved, duly seconded by Trustee Gomez that the meeting be adjourned. Upon which the Board adopted the motion at 8:05 p.m.

Respectfully submitted,

---

Audrey McAdams, Village Clerk

Approved by me this                      of                      2014

---

Deborah E. Morelli, Village Mayor



**Vendor  
Warrants**

[Vendor Home](#)

## STICKNEY VILLAGE TREASURER



[Summary](#)



[Contracts](#)



[Payments](#)

### Warrant/EFT#: EF 0013422

Fiscal Year: 2014  
Warrant Total: \$32,780.91

Issue Date: 05/07/14  
Warrant Status:

Agency	Contract	Invoice	Voucher	Agency Amount
492 - REVENUE		AG636863	4AG636863	\$32,780.91

### IOC Accounting Line Details

Fund	Agency	Organization	Appropriation	Object	Amount	Appropriation Name
0189	492	27	44910055	4491	\$32,780.91	DISTRIBUTE MUNI/CNTY SALES TAX

### Payment Voucher Description

Line	Text
1	IL DEPT. OF REVENUE AUTHORIZED THIS PAYMENT ON 05/05/2014
2	MUNICIPAL 1 % SHARE OF SALES TAX
3	LIAB MO: FEB. 2014 COLL MO: MAR. 2014 VCHR MO: MAY. 2014
4	?S PHONE: 217 785-6518 EMAIL: REV.LOCALTAX@ILLINOIS.GOV
61	MUNICIPAL 1 % SHARE OF SALES TAX

Click [here](#) for assistance with this screen.

SALES TAX

FOR FEBRUARY, 2014

\$32,780.91

**Vendor  
Warrants****STICKNEY VILLAGE  
TREASURER OF**[Summary](#)[Contracts](#)[Payments](#)**Warrant/EFT#: EF 0023286**Fiscal Year: 2014  
Warrant Total: \$12,510.27Issue Date: 05/02/14  
Warrant Status:

Agency	Contract	Invoice	Voucher	Agency Amount
494 - TRANSPORTATION			4MT004980	\$12,510.27

**IOC Accounting Line Details**

Fund	Agency	Organization	Appropriation	Object	Amount	Appropriation Name
0414	494	90	44910000	4491	\$12,510.27	DISTRB ITEMS: MUNICIPALITIES

**Agency Contact Information**

217-782-6496

Click [here](#) for assistance with this screen.

MOTOR FUEL TAX

FOR APRIL, 2014

\$12,510.27



## STICKNEY AMERICAN LEGION



POST No. 687

6431 West Pershing Road

Stickney, Illinois 60402

April 25, 2014

The Honorable Debbie Morelli, Mayor

Village of Stickney

Stickney, Illinois 60402

Dear Mayor Morelli,

Each year prior to Memorial Day, millions of Americans wear little poppies in memory of the many men and women who died in the wars and conflicts of our country.

All through the winter months these bright little red flowers are made by disabled and hospitalized veterans in VA hospitals in Illinois. In May the distribution of these poppies for donation is handled entirely by volunteers from the American Legion and the American Legion Auxiliary. Every penny received over expenses goes directly to needy and/or disabled veterans or to members of their families.

Poppy Days this year are May 19<sup>th</sup> through May 26<sup>th</sup>, 2014. With you and the Board of Trustees' permission Stickney Post 687 and its Auxiliary would like to be permitted to solicit donations in the business areas of your community on those dates. We would also appreciate it if the enclosed Proclamation could be passed to designate the week of May 19<sup>th</sup> through May 26<sup>th</sup> "Poppy Week" in the Village of Stickney. We have also enclosed a copy of our Post insurance policy.

Sincerely,

Jerry Bubash/ Chairman Poppy Day Committee

STICKNEY MEMORIAL VETERANS OF FOREIGN WARS POST # 8159  
AND LADIES AUXILIARY  
6645 WEST PERSHING ROAD  
STICKNEY, IL 60402  
(708) 484-9353

RECEIVED  
MAY 2 - 2014  
VILLAGE OF STICKNEY

May 1, 2014

President Morelli and Board of Trustees  
Village of Stickney  
6533 West Pershing Road  
Stickney, IL 60402

Greetings President Morelli and Board of Trustees:

Our organization requests permission to distribute Buddy Poppies within the Village on:

Thursday – May 22, 2014

Friday – May 23, 2014

Saturday – May 24, 2014

Thanking you in advance for your consideration in the matter.

Sincerely,



Dave Gomez  
Commander



Patricia Jakstavich  
President/Buddy Poppy Chairperson

# Stickney-Forest View Lions Club

## 62 Years of Service

"Watch  
1-A  
Mushroom"



1952



2014



"LIONISM  
BLOSSOMING  
INTO THE NEW  
MILLENNIUM"

Village of Stickney  
Village Board  
6533 w. Pershing  
Stickney, IL 60402

May 14, 2014

RECEIVED

MAY 14 2014

VILLAGE OF STICKNEY

Dear Mayor & Trustees,

The Stickney-Forest View Lions Club is requesting permission to hold a Charity 5K Run/Walk for Breast Cancer Research, on Sunday, September 28<sup>th</sup>, 2014 at 8:00am.

We will start and end at 41<sup>st</sup> & Ridgeland at the Pavilion. We will have volunteers man the street corners for the safety of the participants and we should be on the streets no longer than an hour.

I have enclosed a map of the route, which has been successful in the past 5k run in the village. Also enclosed is our proof of liability insurance, it also names the village as "*Also insured*".

We thank you for your consideration, and look forward to serving our village for years to come.

Warm Regards,

A handwritten signature in cursive script that reads "Dan O'Reilly".

Lion Dan O'Reilly  
Event Chairman  
708-795-0997



# CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

05/14/2014

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

<b>PRODUCER</b>  Willis of Illinois, Inc. 425 N. Martingale Road, Suite 1100 Schaumburg, IL 60173	<b>CONTACT NAME:</b> John Adams	
	<b>PHONE (A/C, No, Ext):</b> 1-800-316-6705	<b>FAX (A/C, No):</b> 1-888-467-2378
<b>INSURED</b>  Stickney-Forest View Lions Stickney & Forest View Illinois	<b>E-MAIL ADDRESS:</b> lionsclubs@willis.com	
	<b>INSURER(S) AFFORDING COVERAGE</b>	
	<b>INSURER A:</b> ACE American Insurance Company	<b>NAIC #</b> 22667
	<b>INSURER B:</b>	
	<b>INSURER C:</b>	
	<b>INSURER D:</b>	
	<b>INSURER E:</b>	
	<b>INSURER F:</b>	

**COVERAGES****CERTIFICATE NUMBER:****REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSR	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<b>GENERAL LIABILITY</b> <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> Agg. Per Named Insured is \$2,000,000 GENL AGGREGATE LIMIT APPLIES PER <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PROTECT <input type="checkbox"/> LOC			HDOG27022923	09/01/2013	09/01/2014	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Per occurrence) \$ 1,000,000 MED EXP (Any one person) \$ 1,000 PERSONAL & ADL INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 10,000,000 PRODUCTS - COMPROP AGG \$ 2,000,000
A	<b>AUTOMOBILE LIABILITY</b> <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS			ISAH08721415	09/01/2013	09/01/2014	COMBINED SINGLE LIMIT (Per accident) \$ Included BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ AGGREGATE \$
	<b>UMBRELLA LIAB</b> <input type="checkbox"/> OCCUR <b>EXCESS LIAB</b> <input type="checkbox"/> CLAIMS MADE DEC RETENTIONS						EACH OCCURRENCE \$ AGGREGATE \$ WC STATE TORY LIMITS \$ OTHER \$
	<b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b> ANY PROPRIETOR/PARTNER/EXECUTIVE/OFFICER MEMBER EXCLUDED? (Mandatory in NH) <input type="checkbox"/> Y/N If yes, describe under DESCRIPTION OF OPERATIONS below		N/A				E L EACH ACCIDENT \$ E L DISEASE - EA EMPLOYEE \$ E L DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule if more space is required)

Provisions of the policy apply to the named insureds participation in the following activity during the policy period shown above: Charity 5K Run - September 28, 2014

Village of Stickney is included as an Additional Insured(s), but only with respect to General Liability arising out of the issuance of permit(s) to the Insured shown above and not out of the sole negligence of said additional insured.

PROVISIONS OF THE POLICY DO NOT APPLY TO THE SALE OR SERVING OF ALCOHOLIC BEVERAGES

**CERTIFICATE HOLDER****CANCELLATION**


Village of Stickney  
6533 W. Pershing Road  
Stickney Illinois 60402

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2010 ACORD CORPORATION. All rights reserved.







# Illinois Department of Transportation

Division of Highways/Region One / District One  
201 West Center Court/Schaumburg, Illinois 60196-1096

RT 1 (C) IL 50 (Cicero) and 39<sup>th</sup> St at VARIOUS **Contract 60Y18**

May 9, 2014

The Honorable Deborah E. Morelli  
Village President  
Village of Stickney  
6533 West Pershing Road  
Stickney, IL 60402

Dear Village President Morelli:

The Illinois Department of Transportation is proposing to upgrade the traffic signals on state highways with Light-Emitting-Diode (LED) modules. This program is meant to complete the transformation in the State from incandescent traffic signal optics to low energy consuming, reduced maintenance and enhanced visibility LED type signals. Battery back-up is also included in the program to allow the traffic signal to operate during temporary short term power outages.

The LED upgrade program will require cost participation similar to the federal Highway Safety Improvement Program (HSIP). State funds will be used for 90% of the traffic signal upgrade costs with the remaining 10% split based on the proportionate share of approach leg jurisdiction. This represents lower local cost participation than any previous LED upgrade program. Funds for this program are limited so we are targeting traffic signals on state routes in Cook County by preparing an LED installation contract scheduled for **August 2014** and then proceeding to other counties in IDOT District One as additional funds become available.

	Improvement Cost	State Cost	Stickney Cost	Other Cost
39th St (Pershing Rd) at Laramie Av	\$12,000.00 (Signal upgrades)	\$11,400.00 (90% +5%)	\$600.00 (5%)	\$0 (-%)
Engineering (15%)		\$1,710.00	\$90.00	\$0
39th St (Pershing Rd) at Oak Park Av	\$26,000.00 (Signal upgrades)	\$24,700.00 (90% +5%)	\$650.00 (2.5%)	\$650.00 (2.5%)
Engineering (15%)		\$3,705.00	\$97.50	\$97.50
39th St (Pershing Rd) at Ridgeland Av	\$26,000.00 (Signal upgrades)	\$25,350.00 (90% +7.5%)	\$650.00 (2.5%)	\$0 (-%)
Engineering (15%)		\$3,802.50	\$97.50	\$0
<b>TOTAL</b>		<b>\$70,667.50</b>	<b>\$2,185.00</b>	<b>\$747.50</b>

Village President Morelli  
May 9, 2014  
Page Two

Enclosed for your signature are three (3) counterparts of the Agreement for LED upgrades.

Also enclosed is one (1) set of preliminary plans for this improvement. Please review them and send a written approval to our office as required per Item 2 of the Agreement.

Please return the three (3) partially executed Agreements to our office for final processing. We will send you a completed Agreement upon its execution by our Springfield Office. It is of the utmost importance that you forward the Agreements to:


Mr. Stephen M. Travia, P.E.  
Bureau Chief of Traffic Operations  
Illinois Department of Transportation  
201 West Center Court  
Schaumburg, IL 60196

Please be advised that the Agreement and Plan Approval should be executed and mailed to us by July 25, 2014. Any delay will automatically drop the project from the program.

If you have any questions or need additional information, please contact Mrs. Brenda Kanthaphixay, Traffic Operation Agreement Technician, at (847) 705-4175 or [Brenda.Kanthaphixay@illinois.gov](mailto:Brenda.Kanthaphixay@illinois.gov).

Very truly yours,

John Fortmann, P.E.  
Deputy Director of Highways,  
Region One Engineer

By:   
Stephen M. Travia, P.E.  
Bureau Chief of Traffic Operations

## AGREEMENT

THIS AGREEMENT entered into this \_\_\_\_\_ day of \_\_\_\_\_ A.D., by and between the STATE OF ILLINOIS, acting by and through its Department of Transportation, hereinafter called the STATE, and the Village of Stickney, County of Cook, of the State of Illinois, hereinafter called the VILLAGE.

## WITNESSETH

WHEREAS, the STATE is proposing to upgrade the traffic signals on the state highways with Light-Emitting-Diode (LED) modules, Uninterruptible Power Supply (UPS) and Countdown Pedestrian Signals (CD Ped) at the intersections of 39th St (Pershing Rd) at Laramie Av; 39th St (Pershing Rd) at Oak Park Av and 39th St (Pershing Rd) at Ridgeland Av (to be known as STATE Section 2014-032TS and Contract No. 60Y18-Job No. C-91-309-14). This LED upgrade project will require cost participation similar to the federal Highway Safety Improvement Program (HSIP). State funds will be used for 90% of the traffic signal upgrade costs with the remaining 10% split based on the proportionate share of approach leg jurisdiction.

WHEREAS, the VILLAGE is desirous of said improvement in that same will be of immediate benefit to the VILLAGE, and permanent in nature; and,

WHEREAS, the VILLAGE shares jurisdiction of the following intersection with the STATE at 39th St (Pershing Rd) at Laramie Av; 39th St (Pershing Rd) at Oak Park Av and 39th St (Pershing Rd) at Ridgeland Av

NOW THEREFORE, in consideration of the mutual covenants contained herein, the parties hereto agree as follows:

1. The STATE agrees to prepare plans and specifications, receive bids, award the contract, furnish engineering inspection during construction, and cause the improvement to be built in accordance with the plans, specifications, and contract. The STATE also agrees to pay all construction and engineering costs subject to reimbursement by the VILLAGE as hereinafter stipulated.
2. The VILLAGE agrees to approve the plans and specifications by letter or resolution prior to the STATE advertising for the work to be performed hereunder.
3. It is mutually agreed that the proportional participation for the estimated construction costs and engineering costs of this improvement shall be as follows:

	Improvement Cost	State Cost	Stickney Cost	Other Cost
39th St (Pershing Rd) at Laramie Av	\$12,000.00 (Signal upgrades)	\$11,400.00 (90% +5%)	\$600.00 (5%)	\$0 (-%)
Engineering (15%)		\$1,710.00	\$90.00	\$0
39th St (Pershing Rd) at Oak Park Av	\$26,000.00 (Signal upgrades)	\$24,700.00 (90% +5%)	\$650.00 (2.5%)	\$650.00 (2.5%)
Engineering (15%)		\$3,705.00	\$97.50	\$97.50
39th St (Pershing Rd) at Ridgeland Av	\$26,000.00 (Signal upgrades)	\$25,350.00 (90% +7.5%)	\$650.00 (2.5%)	\$0 (-%)
Engineering (15%)		\$3,802.50	\$97.50	\$0
<b>TOTAL</b>		<b>\$70,667.50</b>	<b>\$2,185.00</b>	<b>\$747.50</b>

4. It is mutually agreed that the VILLAGE will reimburse the STATE in an amount equal to the VILLAGE'S share of the actual cost as determined in accordance with Item #3 above. It is mutually agreed that upon award of the contract for this improvement, the VILLAGE will pay to the Department of Transportation of the State of Illinois, in a lump sum from any funds allotted to the VILLAGE, an amount equal to 80% of its obligation incurred under this Agreement, and will pay to the said Department the remainder of its obligation (including any non-participating costs for FA projects) in a lump sum, upon completion of the project based upon final costs.
5. Upon acceptance by the Department of Transportation of the traffic signal improvement included herein, the financial responsibility for maintenance and electrical energy for the operation of the traffic signals shall remain as outlined in the current agreement between the Village of Stickney and the Department of Transportation.
6. The agency performing actual traffic signal maintenance will remain as outlined in the current agreement.
7. Payment by the STATE of any or all of its share of maintenance and energy costs is contingent upon the STATE receiving adequate funds in its annual appropriation.
8. The STATE retains the right to control the sequence of timing on the traffic signals.
9. This agreement shall be binding upon and inure to the benefit of the parties hereto, their successors and assigns.

Remainder of Page is Intentionally Blank.

VILLAGE OF STICKNEY

By: \_\_\_\_\_  
Village President

Date: \_\_\_\_\_

ATTEST:

\_\_\_\_\_  
CLERK

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

By: \_\_\_\_\_  
(Signature)

By: John Fortmann, P.E.  
Title: Deputy Director of Highways,  
Region One Engineer

Date: \_\_\_\_\_

PLAN APPROVAL

WHEREAS, in order to facilitate the improvement at the intersections of 39th St (Pershing Rd) at Laramie Av; 39th St (Pershing Rd) at Oak Park Av and 39th St (Pershing Rd) at Ridgeland Av, VILLAGE OF STICKNEY hereby approves to that portion of the plans and specifications relative to the Village's financial and maintenance obligations described herein prior to the STATE'S advertising for the proposed traffic signal improvements at said intersections above.

APPROVED:

By: \_\_\_\_\_  
VILLAGE ENGINEER

Date: \_\_\_\_\_

ATTEST:

\_\_\_\_\_  
Clerk

SEAL



**RESOLUTION 03-2014**

**A RESOLUTION AUTHORIZING THE CONVEYANCE BY THE  
VILLAGE OF STICKNEY OF THE PROPERTY COMMONLY  
DESCRIBED AS 4026 EUCLID AVENUE, STICKNEY, ILLINOIS TO  
THE TOWNSHIP OF STICKNEY**

WHEREAS, the Village of Stickney (the "Village") entered into an agreement with the Township of Stickney (the "Township") entitled "Intergovernmental Agreement Regarding the Acquisition of Real Property for Public Parking Purposes (the "Agreement"):

WHEREAS, the Village has acquired the property described in the Agreement which property is described in the form of deed attached hereto as Exhibit "A"; and

WHEREAS, the Township has paid or reimbursed the Village for all charges, fees and expenses as provided in the Agreement.

NOW, THEREFORE, BE IT RESOLVED by the President and Board of Trustees of the Village of Stickney, Illinois, as follows

Section 1: The conveyance by the Village to the Township of the property described in the form of deed attached hereto as Exhibit A is hereby approved.

Section 2: The President and Village Clerk are hereby authorized to execute a warranty deed substantially in the form and substance as Exhibit A attached to this Resolution.

AYES: \_\_\_\_\_

NAYS: \_\_\_\_\_

ABSENT: \_\_\_\_\_

ABSTAIN: \_\_\_\_\_

APPROVED by me this 20<sup>th</sup> day of May, 2014.

\_\_\_\_\_  
President, Deborah Morelli  
Village of Stickney, Cook County, Illinois

ATTESTED, FILED IN MY OFFICE,  
AND PUBLISHED IN PAMPHLET FORM  
THIS 20<sup>TH</sup> DAY OF OCTOBER, 2014.

\_\_\_\_\_  
Audrey McAdams, Clerk  
Village of Stickney, Cook County, Illinois

WARRANTY DEED

Exhibit A

THE GRANTOR,

the Village of Stickney, a home rule unit of government, 6533 Pershing Road, Stickney, Cook County, Illinois, for and in consideration of Ten and 00/100 Dollars (\$10.00), and other good and valuable consideration in hand paid, CONVEYS and WARRANTS to

Stickney Township, an Illinois unit of government,  
5635 State Road, Burbank, IL 60459

the following described Real Estate situated in Cook County, Illinois, to wit:

Lot 129 and 130 in John H. Curtis Subdivision of Lots 1 and 8 in Nikerson Subdivision of East ½ of Section 6, Township 38 North, Range 13 East of the Third Principal Meridian, in Cook County, Illinois

Permanent Real Estate Index Number: 19-06-208-050-0000

Address of Real Estate: 4026 South Euclid Avenue, Stickney, Illinois 60402

TO HAVE AND TO HOLD said premises in forever. Subject to covenants, easements, conditions and restrictions of record and 2013 and subsequent years real estate taxes.

Dated this 31<sup>st</sup> day of December, 2012.

---

Deborah Morelli, Mayor

---

Audrey McAdams, Village Clerk

Exempt under provisions of Paragraph b,  
Section 4, Real Estate Transfer Tax Act.

---

Attorney

State of Illinois            )  
                                      ) SS  
County of Cook            )

I, the undersigned, a Notary Public in and for Cook County, Illinois, do hereby certify that Deborah Morelli, Mayor, and Audrey McAdams, Village Clerk, personally known to me to be the same persons whose name are subscribed to the foregoing instrument, appeared before me this day in person, and acknowledged that they signed, sealed and delivered the said instrument as their free and voluntary act on behalf of the Village of Stickney, for the uses and purposes therein set forth.

Given under my hand and official seal, this \_\_\_\_ day of May, 2014.

---

Notary Public

This instrument was prepared by Vincent Cainkar, 6215 West 79th Street, Suite 2A, Burbank, IL 60459-1178.

MAIL TO:

Vincent Cainkar  
6215 W. 79<sup>th</sup> St., Suite 2A  
Burbank, IL 60459

SEND SUBSEQUENT TAX BILLS TO:

Vincent Cainkar  
6215 W. 79<sup>th</sup> St., Suite 2A  
Burbank, IL 60459

VILLAGE OF STICKNEY  
CAPITAL PROJECTS FUND  
ESTIMATED

<b>BALANCE</b>	4/30/2014	<u>369,232.63</u>
----------------	-----------	-------------------

**REVENUES AND OTHER FINANCING SOURCES**

TRANSFER FROM EMERGENCY TELEPHONE SYSTEM FUND		36,000.00
PARK GRANT		123,700.00
		<u>159,700.00</u>

**EXPENDITURES**

*FUERTE SYSTEMS, INC.*

TOTAL PROJECT COST		198,608.38
CHANGE ORDER - FENCING		(4,970.00)
CHANGE ORDER - RUBBER SURFACE		(7,146.20)
CHANGE ORDER - DEMOLITION		(7,500.00)
TOTAL FUERTE SYSTEMS, INC.		<u>178,992.18</u>

PLAYGROUND EQUIPMENT		43,710.00
----------------------	--	-----------

LANDTECH DESIGN, LTD.	PHASE 5	BALANCE	1,995.00
-----------------------	---------	---------	----------

CONTINGENCY		20,000.00
-------------	--	-----------

PARK PROJECT		<u>244,697.18</u>
--------------	--	-------------------

<b>BALANCE</b>	4/30/2015	<u><u>284,235.45</u></u>
----------------	-----------	--------------------------

**AMBULANCE**

FOSTER COACH SALES, INC		196,889.00
PREPAYMENT DISCOUNT		(2,913.00)
		<u>193,976.00</u>

GRANT (PENDING)	FOR AMBULANCE ?	100,000.00
-----------------	-----------------	------------

SWEEPER LEASE		
LAST PAYMENT	12/3/2014	37,119.89

**AMBULANCE LEASE OPTIONS**

5 YEARS (ANNUAL, IN ARREARS)	2.59%	42,489.60
4 YEARS (ANNUAL, IN ARREARS)	2.54%	52,387.06

**FOSTER COACH SALES, INC.**903 Prosperity Drive Street P.O. Box 700  
Sterling, Illinois 61081

Phone: (815) 625-3276

(800) 369-4215

Fax: (815) 625-7222

Web site: www.fostercoach.com

PF00611

**QUOTATION**TO: STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402

DATE: 04/23/14

ATTN: DAN KUFFEL

REFERENCE: NEW AMBULANCE

We are pleased to submit the following quotation in accordance with your request and subject to the Terms and Conditions listed below and on the reverse side hereof.

QTY.	DESCRIPTION	EACH	NET PRICE
1	2015 FORD F450 4X4 CHASSIS ON A CUSTOM HORTON 623 MODEL CONVERSION PER CUSTOMER SPECIFICATION	\$ 196,889.00	\$ 196,889.00
	OPTION PREPAYMENT DISCOUNT Full amount due within 10 days of order to receive discount	\$ -2,913.00	\$ -2,913.00
		\$ Total	\$ 193,976.00
	ACCEPTED BY: _____ TITLE: _____ Date: _____		


ESTIMATED DELIVERY:  
8-9 MONTHSPROPOSED BY: 

P.J. FOSTER, VICE PRESIDENT OF SALES

# STICKNEY FIRE DEPARTMENT

623 PT EXTERIOR  
F-SERIES CHASSIS

REVISIONS			DATE
REV	DESCRIPTION		
A	623 EXTERIOR		4-23-14
DRAWN BY: JAW			



COMP.	INSIDE WIDTH	INSIDE HEIGHT	INSIDE DEPTH	CLEAR OPENING WIDTH	CLEAR OPENING HEIGHT
SC FWD	24.25	88.13	20.36	18.75	87.13
SS INT	55.50	33.50	20.36	51.75	32.37
SS REAR	36.63	59.50	20.36	32.02	58.37

NOTE: DRAWINGS ARE FOR GRAPHICAL REPRESENTATION ONLY. DIMENSIONS ARE APPROXIMATE & MAY VARY DURING CONSTRUCTION.



## PROPOSAL DRAWING

## 1404-110

# STICKNEY FIRE DEPARTMENT

623 PT EXTERIOR  
F-SERIES CHASSIS

REVISIONS		DATE
REV	DESCRIPTION	
A	623 EXTERIOR	4-24-14
DRAWN BY: JAW		



NOTE: DRAWINGS ARE FOR GRAPHICAL REPRESENTATION ONLY. DIMENSIONS ARE APPROXIMATE & MAY VARY DURING CONSTRUCTION.

PROPOSAL DRAWING

1404-110




REVISIONS		
REV	DESCRIPTION	DATE
A	623 EXIFROR	4-24-14

CHAZEN BTR JANV

REVISIONS		
REV	DESCRIPTION	DATE
A	603 EX-FRAME	4-24-14

CHAPMAN JAW



	INSIDE WIDTH	INSIDE HEIGHT	INSIDE DEPTH	CLEAR OPENING WIDTH	CLEAR OPENING HEIGHT
COMP					
C/S REAR	29.70	82.13	20.36	25.13	81.13
C/S FWD	28.00	66.00	32.25	22.13	87.13



1404-110

# PROPOSAL DRAWING

18-VISCONS		
REV	DESCRIPTION	DATE
A	623 EXTERIOR	4-24-14

DRAWN BY: A/W

Month	Actual Income	Actual Expense	Actual Savings	Target Income	Target Expense	Target Savings
Jan	25.20	42.15	20.30	25.15	41.15	20.35
Feb	26.00	44.00	20.00	26.00	42.00	20.00




1404-110

# STICKNEY FIRE DEPARTMENT

REVISIONS		
REV	DESCRIPTION	DATE
A	623 PT OVERHEAD B	4.24.14
DRAWN BY JAW		

623 PT OVERHEAD "B" WITH CPR SEAT  
F-SERIES CHASSIS



NOTE: DRAWINGS ARE FOR GRAPHICAL REPRESENTATION ONLY. DIMENSIONS ARE APPROXIMATE & MAY VARY DURING CONSTRUCTION.

## PROPOSAL DRAWING


## 1404-110

# STICKNEY FIRE DEPARTMENT

REVISIONS		DATE
REV	DESCRIPTION	DATE
A	623 PT FRONT WALL	4-26-11
DRAWN BY: JMW		

\*ALL CUSHIONS, TO BE EVS VACUUM FORMED\*  
\*ALL VACUUM FORMED UPHOLSTERY TO BE ATTACHED USING VELCRO\* - NO PINS OR CLIPS TO BE USED  
CLOSE OUTS TO BE COVERED IN MATCHING VINYL AND INSTALLED PER HORTON STANDARD

623 PT FRONT WALL  
F-SERIES CHASSIS



NOTE: DRAWINGS ARE FOR GRAPHICAL REPRESENTATION ONLY  
DIMENSIONS ARE APPROXIMATE & MAY VARY DURING CONSTRUCTION

## PROPOSAL DRAWING

## 1404-110

REVISIONS		
REV	DESCRIPTION	DATE
A	623 PT CABINET WAL. B	4-24-11

QUANTITY 1AW

623 PT CABINET WALL "B"  
F-SERIES CHASSIS




1404-110

# STICKNEY FIRE DEPARTMENT

REVISIONS		DATE
REV	DESCRIPTION	
A	623 SIDE WALL	4.24.18

\* ALL CUSHIONS TO BE EVS VACUUM FORMED.  
\* ALL VACUUM FORMED UPHOLSTERY TO BE ATTACHED  
USING VELCRO\* - NO PINS OR CLIPS TO BE USED  
CLOSE OUTS TO BE COVERED IN MATCHING VINYL AND  
INSTALLED PER HORTON STANDARD

623 PT SIDE WALL  
F-SERIES CHASSIS



NOTE: DRAWINGS ARE FOR GRAPHICAL  
REPRESENTATION ONLY  
DIMENSIONS ARE APPROXIMATE & MAY VARY  
DURING CONSTRUCTION

## PROPOSAL DRAWING


### 1404-110

# STICKNEY FIRE DEPARTMENT

REVISIONS			
REV	DESCRIPTION	DATE	
A	623 PT REAR WALL	11/24/14	
DRAWN BY: JAV			

\*ALL CUSHIONS, TO BE EVS VACUUM FORMED\*  
\*ALL VACUUM FORMED UPHOLSTERY TO BE ATTACHED USING VELCRO\* - NO PINS OR CLIPS TO BE USED  
CLOSE OUTS TO BE COVERED IN MATCHING VINYL AND INSTALLED PER HORTON STANDARD

623 PT REAR WALL  
F-SERIES CHASSIS



NOTE: DRAWINGS ARE FOR GRAPHICAL REPRESENTATION ONLY  
DIMENSIONS ARE APPROXIMATE & MAY VARY DURING CONSTRUCTION

## PROPOSAL DRAWING

## 1404-110



Foster Coach Sales--PO Box Box 700--Sterling, IL. 61081

**STICKNEY FIRE DEPARTMENT**

6433 43RD ST

STICKNEY, IL 60402

DAN KUFFEL

---

*Year:* 2015  
*Chassis:* Ford Type I, 189" WB, 108"  
*Type:* 1  
*Model:* 623  
*Rev I* Print Features 11844

**CATEGORIES:**

- A Chassis*
- B Body Connection Pass Thru Type*
- BH Chassis Accessories*
- BL Chassis Electrical*
- C Conversion Model*
- CB Module Body Modifications*
- D Module Body Hardware*
- E Paint and Striping*
- F Cabinet Doors, Handles and Hardware*
- G Interior Colors*
- H Interior Cabinets, Streetside*
- I Interior Cabinets, Curbside*
- J Front Wall Cabinets*
- K Interior Accessories and Trim*
- L Cot Mount, and Patient Handling*
- M Warning Systems, Visual*
- MN Warning Systems, Audible*
- O Lights, Non Emergency*
- P Electrical Power Group*
- Q Heat, Ventilation, Air conditioning*
- R Console, Radio, and communications*
- T Oxygen and Suction*
- U Lettering and Graphics*
- Z Other*

*Prepared By:* P. J. Foster



STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Oty	Header/Description/Data	Proposal Total
--------	-----	-----	-------------------------	----------------

AB			Horton Emergency Vehicles Feature List	
----	--	--	--	--

AC			CHASSIS	
----	--	--	---------	--

AFF 1 1 FORD F-SERIES CHASSIS

AFF54014 0 1 CHASSIS, 2014 FORD 4 X 4, 189" F-450 CAB/CHASSIS

The chassis required to complete the ambulance conversion shall be supplied by Horton.

!!! CHASSIS TO BE 2015

AFFSP001 0 1 FORD F-SERIES SPECIAL INSTRUCTION

FORD FIN CODE

!!! NEED FROM CUSTOMER !!!

AJNSPIC0 1 1 CHASSIS INTERIOR COLOR SHALL BE GRAY

B			CHASSIS MODIFICATIONS, HARDWARE AND ACCESSORIES	
---	--	--	---	--

BH010000 1 1 DIESEL EXHAUST FLUID (DEF)

The fill for the DEF tank will be located in the driver's side of the body forward of the rear wheels. A lable stating "DIESEL EXHAUST FLUID (DEF)" will be installed next to the fill neck.

(Option is applicable to 2011 and later Ford F-series chassis)

BH02A100 1 1 STAINLESS STEEL WHEEL COVERS

Stainless steel wheel covers shall be installed.

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
BH03A000	1	1	<b>MUD FLAPS: front</b> Install rubber mud flaps behind each front tire.	
BH03B000	1	1	<b>MUD FLAPS: rear</b> Install individual rear mud flaps behind each set of rear wheels.	
BH070000	1	1	<b>REINFORCE REAR BUMPER END CAPS</b> Reinforce end caps of rear bumper for greater impact resistance.  A section of 2" x 2" steel angle shall be attached to the back side of the std Horton step. (Note, this option is not available on recessed or impact steps).	
BH08HE00	0	1	<b>RUNNING BOARDS: EMBOSSD ALD W/STAR PUNCH</b> Install heavy duty aluminum embossed diamond plate running boards and splash shields. Running boards are to be star punched for enhanced drain and foot grip.	
BH110000	1	1	<b>REAR STEP/ BUMPER ASSEMBLY</b> The center section of the rear step bumper shall be constructed of aluminum grip strut and be hinged to assist in patient handling.	
BH32OR00	1	1	<b>AIR SUSPENSION SWITCH: dump override</b> A switch will be installed where specified, to override the automatic dump feature activated by the left rear patient compartment entry door.  Switch Locate: INSIDE REAR CURBSIDE ENTRY DOOR PANEL	
BL073000	1	1	<b>BATTERIES, STANDARD ON F-SERIES FORD CHASSIS</b> (2) OEM batteries shall be installed in the manufacturers under hood battery tray locations.	
BL08A000	1	1	<b>BATTERY HEAT SHIELDS</b> Battery heat shields will be provided for any battery located under the hood which is not protected by the OEM manufacturer.	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
BL26B000	1	1	<b>BACKUP ALARM RESET</b> Backup alarm to automatically reset to on if alarm was manually canceled using the control panel alarm cut-off switch (FL25) during previous use.	
BL32A000	1	1	<b>OEM AM/FM/CD PLAYER SHALL BE PROVIDED BY THE OEM MANUFACTURER</b> OEM AM/FM/CD player shall be provided by the OEM manufacturer on all Horton supplied chassis.  <i>Note: This option applies only to chassis supplied by Horton. Chassis supplied by either the customer or the dealer must be ordered with this feature from the chassis OEM.</i>	
BSP00001	0	1	<b>SPECIAL INSTRUCTION, CHASSIS MODIFICATION HARDWARE &amp; ACCESSORIES</b>  <i>!!! SUPPLY AND INSTALL A LIQUID SPRING SUSPENSION SYSTEM. HORTON WILL SEND OUT FOR THIRD PARTY MODIFICATION.</i>	

<b>C</b>	<b>CONVERSIONS</b>
----------	--------------------

CA640000	0	1	<b>CONVERSION MODEL: F623 FORD F SERIES</b> MINIMUM BODY DIMENSIONS: (Exterior) -Height: 89" -Width: 96" -Length: 173" (Interior) -Height: 72" -Aisle 20" -Width: 20" (from edge of cot in wall position to squad bench riser) -Length: 169" OVERALL DIMENSIONS (Including Chassis, Module and Step): -Height: 117" (to top of vent) -Width: 100" -Length: 307"  Note: This option includes exhaust rerouting.	
----------	---	---	--	--

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
CA640001	1	1	<b>F623 STREETSIDE FORWARD:</b> Clear Door Opening: 18.7" wide x 79.1" high Actual Compartment 21.5" wide x 82.1" high x 20" This area shall be accessed through a single outside hinged door. The compartment shall house the vehicle's primary O2 cylinder. The compartment shall be vented to the outside.  BLACK SCORPION COAT ENTIRE COMPARTMENT.	
cb03so00	0	1	<b>SWEEP OUT COMPARTMENT FLOOR MODIFICATION</b> Compartment floor is to be sweep-out style.  FLAT ALUMINUM FLOOR WITH DA FINISH ON ALL LOCATIONS	
dr08l000	0	2	<b>SHELF FOR LED LIGHTED VERTICAL COMPARTMENT</b> A diamond plate adjustable shelf shall be installed in the following location.  Locate: (1) ABOVE O2 BRACKET. (1) 42" FROM FLOOR LEFT SIDE OF DIVIDER TO RUN FULL HEIGHT.	
dr11a000	0	1	<b>DIVIDER FIXED, VERTICAL COMPARTMENT</b> Install a 16" deep fixed vertical divider shall be installed in the location listed below. (Divider material is to match the compartment material)  Locate: JUST LEFT OF O2 BOTTLE BRACKET. BLACK SCORPION COATED	
CA640002	1	1	<b>F623 STREETSIDE INTERMEDIATE:</b> Clear Door Opening: 51.7" wide x 38.3" high Actual Dimensions: 55.5" wide x 41.5" high x 20" This area shall be accessed through double, outside hinged doors. Both doors shall have exterior door handles and latching devices.	
cb03so00	0	1	<b>SWEEP OUT COMPARTMENT FLOOR MODIFICATION</b> Compartment floor is to be sweep-out style.  FLAT ALUMINUM FLOOR WITH DA FINISH ON ALL LOCATIONS	
cb040000	0	1	<b>COMPARTMENT HEIGHT Modify: first, street side</b> The height of the standard compartment for this model shall be modified. This is the first street side compartment height modification and shall include affected modifications to the interior cabinet.  Height Modification: REDUCE 12" TO ACCOMMODATE INTERIOR CABINETS Locate: STREET SIDE INTERMEDIATE	
dr09lb00	0	1	<b>SHELF FOR LED LIGHTED DOUBLE DOOR COMPARTMENT</b> A diamond plate adjustable shelf shall be installed in the area listed below.  Locate: CENTERED IN COMPARTMENT	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
	0	1	<b>DIVIDER FOR PROTECTION OF ELECTRICAL EQUIPMENT</b>	
dr11c000			A vertical divider shall be installed to isolate the electrical equipment from the remainder of storage in the compartment.  Locate: JUST LEFT OF ELECTRICAL EQUIPMENT PER PRINT. TO HAVE HINGE FOR EASY ACCESS TO EQUIP.	
CA640004	1	1	<b>F623 STREETSIDE REAR:</b>	
			Clear Door Opening: 32" wide x 58.3" high Actual Dimensions: 36.6" wide x 61.5" high x 20" This area shall be accessed through double, outside hinged doors. Both doors shall have exterior door handles and latching devices:	
	0	1	<b>SWEEP OUT COMPARTMENT FLOOR MODIFICATION</b>	
cb03so00			Compartment floor is to be sweep-out style.  FLAT ALUMINUM FLOOR WITH DA FINISH ON ALL LOCATIONS	
	0	1	<b>SHELF FOR LED LIGHTED VERTICAL COMPARTMENT</b>	
dr08l000			A diamond plate adjustable shelf shall be installed in the following location.  Locate: CENTERED TO BE ABLE TO ADJUST FULL COMPARTMENT. CUT BACK SHELF 2.5" IN ORDER TO MOUNT AXES TO DOORS.	
	0	2	<b>EXTRUDED ALUMINUM "C" CHANNEL, ADDITIONAL</b>	
dr10e000			Additional sections of aluminum "C" channel shall be installed on the designated compartment walls.  Location: FULL HEIGHT OF BACK WALL BEHIND SHELF.	
CA640005	1	1	<b>F623 CURBSIDE REAR:</b>	
			Clear Door Opening: 25.1" wide x 79.1" high Actual Dimensions: 29.6" wide x 82.1" high x 20" This area shall be accessed through a single outside hinged door  BLACK SCORPION COAT ENTIRE COMPARTMENT.	
	0	1	<b>SWEEP OUT COMPARTMENT FLOOR MODIFICATION</b>	
cb03so00			Compartment floor is to be sweep-out style.  FLAT ALUMINUM FLOOR WITH DA FINISH ON ALL LOCATIONS	
	0	3	<b>SHELF FOR LED LIGHTED VERTICAL COMPARTMENT</b>	
dr08l000			A diamond plate adjustable shelf shall be installed in the following location.  Locate: (1) 40" FROM FLOOR AND (2) SPACED EVENLY ABOVE. RIGHT SIDE OF DIVIDER.	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
0	1		<b>DIVIDER FIXED, VERTICAL COMPARTMENT</b>	
dr11a000			Install a 16" deep fixed vertical divider shall be installed in the location listed below. (Divider material is to match the compartment material)  Locate: 14" FROM FRONT WALL. BLACK SCORPION COATED	
CA640006	1	1	<b>F623 CURBSIDE FORWARD:</b>  Clear Door Opening: 22.1" wide x 79.1" high Actual Dimensions: 26.7" wide x 82.1" high x 30" This area shall be accessed through a single outside hinged door and from an opening located on the curb side forward wall. The area shall be primarily used for storage of customer furnished jump kits.	
CAB93AF0	0	1	<b>KKK-A-1822F CERTIFICATION LABEL</b>  The vehicle shall have weight/payload, electrical load and KKK-A-1822F certification stickers installed in the O2 compartment.	
<b>CB BODY MODIFICATIONS/OPTIONS</b>				
CB030000	0	2	<b>MODULE HEAD ROOM, INCREASE FROM STANDARD (PER INCH)</b>  The standard module body headroom shall be increased from standard per the quantity listed below. The quantity represents inches and must be in increments of 2".  Headroom Required: 74"	
CB06Q000	0	1	<b>EMBOSSED DIAMONDPLATE AT SIDE ENTRY DOOR</b>  Fabricate the stepping surface inside the side access door using embossed diamond treadplate.	
CB06SX00	0	1	<b>DOUBLE STEP CURBSIDE ENTRY 6" DROP SKIRT</b>  The curbside skirt, forward of the rear wheel well shall be dropped 6 inches. Two integral ALD steps within the side patient door step well shall be available upon opening the side door for easier and lower access to the patient compartment.	
CB06SX10	0	1	<b>STREETSIDE OF BODY LOWERED 6" FROM STANDARD</b>  The street side of the body forward of the rear wheel well shall be lowered 6" from standard.  Note exhaust location when selecting this option.	

**STICKNEY FIRE DEPARTMENT**  
 6433 43RD ST  
 STICKNEY, IL 60402  
 DAN KUFFEL



## Selected Feature List 11844

**Year:** 2015  
**Chassis:** Ford Type I, 189" WB, 108"  
**Model:** 623

Option	Std	Qty	Header/Description/Data	Proposal Total
--------	-----	-----	-------------------------	----------------

CB09SA00	1	1	<b>PATIENT AREA SOUND PROOFING/ACOUSTIC ENHANCEMENT PACKAGE</b>	
----------	---	---	---	--

Install standard sound control package.

<b>D</b>			<b>MODULE BODY HARDWARE</b>	
----------	--	--	-----------------------------	--

DG05C100	0	1	<b>PRIVACY WINDOWS, REAR MODULE BODY ENTRY DOORS</b>	
----------	---	---	--	--

The rear module entry doors shall have solid windows. The windows shall have dark privacy glass. The windows shall meet FMVSS glazing standards. No films are to be used.

DG06C200	0	1	<b>PRIVACY WINDOW, SLIDING FOR SIDE ENTRY DOOR</b>	
----------	---	---	--	--

The side entry door shall have a sliding window. The window shall have dark privacy glass. The window shall meet FMVSS glazing standards. No films are to be used.

DH03B000	1	1	<b>MIRROR STAINLESS STEEL SPLASH SHIELDS</b>	
----------	---	---	--	--

Install #8 mirror stainless splash shields on the lower front face of the body just behind the cab access doors. These splash shields are to be the same height as the diamond plate front corner guards.

NOT AVAILABLE ON FORD "E" SERIES CHASSIS IN CONJUNCTION WITH EXTENDED CORNER GUARDS.

Note: Check option OL41B000 for running board light pre-punches.

DH040000	1	1	<b>MODULE BODY FENDERS: stainless steel</b>	
----------	---	---	---	--

Rear wheel housings shall have stainless steel flare skirts to protect the wheel house opening and side body finish.

Note: VEHICLE INCLUDES A 6" STREETSIDE AND CURBSIDE DROP SKIRT. INSTALL FENDERS FOR A 3" DROP SKIRT ON BOTH SIDES AND LENGTHEN THE RUB RAIL RAILS SO THEY EXTEND BELOW THE FENDERS FORWARD OF THE REAR WHEELS.

DH060000	0	1	<b>RUB RAILS, C-Channel</b>	
----------	---	---	-----------------------------	--

The lower body rub rails shall be C-channel type ILOS.

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
DH100000	0	5	<b>STAINLESS COMPARTMENT SILL PLATES:</b> Stainless steel compartment sill plates shall be installed as noted below. (Pricing is per compartment) Locate: ALL COMPARTMENTS	
DH120000	0	1	<b>EXTENDED DIAMOND PLATE CORNER GUARDS</b> Install extended diamond plate corner guards that extend to the bottom of the paint stripe or pin stripe which ever is applicable. EXTEND FRONT CORNER GUARDS TO 36"	
DH330000	1	1	<b>REAR DOOR HOLD OPENS, GRABBER</b> Install chrome Cast Products "Grabber" style rear door hold opens. (NOTE: HOLD OPENS MUST BE RELOCATED IF TELESCOPIC LIGHTS ARE ORDERED)	
DL480000	0	1	<b>ELECTRIC DOOR LOCKS: compartment</b> Install power activated door locks on all exterior compartment doors. Locks to be activated by a switch at each patient area access door. Locks may be overridden by a door key. A separate lock switch will be located in the front radio console if option DL48D000 (wired to OEM locks) is not selected.	
DL48A000	1	1	<b>ELECTRIC DOOR LOCKS: access doors</b> Install power activated door locks on all patient area access doors. Locks to be activated by a switch at each patient area door, and controlled with the access door locks. Locks may be overridden by a manual slide lever or by the door key. A separate lock switch will be located in the front radio console if option DL48D000 (wired to OEM locks) is not selected.	
DL48B000	0	1	<b>ELECTRIC DOOR SWITCH: concealed</b> Install a concealed switch on the exterior of the vehicle to operate the power door lock circuit. Doors shall be wired to unlock only on this circuit. Locate: REAR LICENSE PLATE INSERT	
DL48D000	0	1	<b>ELECTRIC DOOR LOCKS WIRED TO OEM SWITCHES</b> The module door locks and compartment locks (if ordered) are to be wired to the chassis door lock switches.	



STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
DLH40000	0	1	<b>RECESSED LICENSE PLATE BRACKET</b> A Cast Products #LP0002 recessed license plate bracket shall be installed per the attached drawing. The bracket will include lighting in the top to illuminate the license plate.  CENTERED IN REAR RISER	
DM100000	1	1	<b>REFLECTORS:</b> All patient compartment entry doors shall have red reflectors in the lower corner.	
DR22A000	0	1	<b>MATEFLEX IN EXTERIOR COMPARTMENTS</b> Mateflex will be installed on the floor and shelves of all exterior compartments.  Color: BLACK WITH TAPERED YELLOW EDGE TILES	
<b>E PAINT AND STRIPING</b>				
ED010000	1	1	<b>CHASSIS PAINT: standard white</b> Chassis color to be standard white.	
ED040000	1	1	<b>MODULE PAINT: standard white</b> Paint module standard white Sikkens #FLNA4002.	
ED5C0000	0	1	<b>DIAMONDGRADE CHEVRONS-ENTIRE REAR</b> Install Diamondgrade chevron striping on the entire rear of the body inboard of the corner posts and below the upper driprail.  Colors: RED AND FLOURESCENT YELLOW/GREEN	
ED5K0000	0	3	<b>DIAMONDGRADE CHEVRONS-DOOR PANELS</b> Install Diamondgrade chevron striping on the lower portion of the interior door panels as noted below:  Colors: RED AND FLOURESCENT YELLOW/GREEN Locations: LOWER ENTRY DOOR PANELS  Note: Qty is each.	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
ESP00001	0	1	<b>SPECIAL INSTRUCTION, PAINT &amp; STRIPING</b>  !!! Apply 3M #8115 sealer on all body seams and any location where the standard sealant material is applied. The material shall be applied in a manner which minimizes (smooth outs) the transition between the body panels and the extrusion lips.	
ESP00002	0	1	<b>SPECIAL INSTRUCTION, PAINT &amp; STRIPING</b>  Install a .750" WHITE Scotchlite stripe through the center of the C-channel rub rails.	
<b>F INTERIOR CABINET DOORS, HANDLES &amp; HARDWARE</b>				
FE010000	1	1	<b>FULL HEIGHT PULL HANDLES ON SLIDING PLEXIGLAS DOORS</b> All sliding cabinet doors to have full length pull handles.	
FE01FT00	1	1	<b>LATCH, HINGED DOOR: Southco flush stainless steel pull style</b> Install stainless flush mount Southco pull latches on the hinged interior cabinet doors.	
FE02A000	1	1	<b>PLEXIGLAS COLOR: light tint</b> All Plexiglas doors to be light tint.	
FE06A000	0	2	<b>COUNTERTOP, AVONITE</b> Install Avonite countertop in lieu of standard stainless steel Color: NORTHERN MELANGE	
FE07A000	0	1	<b>STAINLESS STEEL-INHALATION AREA WALLS:</b> The rear and side walls bordering the inhalation area are to be covered with brushed stainless steel.	
FE08A000	0	1	<b>STAINLESS STEEL-INHALATION PANEL:</b> The inhalation panel is to be fabricated from stainless steel. All edges are to be filed.	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
--------	-----	-----	-------------------------	----------------

<b>G</b>	<b>INTERIOR COLORS, UPHOLSTERY AND SEATING</b>			
----------	--	--	--	--

**GF01CG00 0 1 INTERIOR COLOR SCHEME: CG TECH**

The patient area walls, inner door panels and inhalation panel are to be finished with CG Tech material. Install brushed stainless risers and lower door panels.

Color: Silver Metallic. TWO PIECE DOOR PANELS

**GF01R000 0 1 INTERIOR COLOR SCHEME: Custom**

Interior colors are as follows:

FLOOR: ALTRO TRANSFLOR META - BLACK.  
RISER: STAINLESS STEEL.  
WALLS: CG TECH METALLIC SILVER.  
CABINET: FASHION GRAY SMOOTH PAINT.  
UPHOLSTERY: DESERT ROSE MV106 (EVS COLOR)

Configure: All cushions, including the attendant seat, are to be EVS vacuum formed style attached via Velcro - no pins or clips. All closeouts to be covered in a matching material and installed per standard.

**GF02M000 1 1 INSIDE CABINET FINISH: paint**

The interior of all aluminum cabinets shall have a durable paint finish. The painted surface shall be washable and non-absorbent.

**GF02P000 1 1 RISERS:**

The interior of this vehicle is to contain no wood or wood products. The risers are to be made of reinforced structural composite board covered with Formica per the color description. Formica will not be installed on the risers if stainless steel riser options are selected.

Note: Riser thickness to be modified if option #PL27CP00 is ordered.

**GK12D000 0 1 EVS CHILD SAFETY SEAT WITH 3-POINT SEAT BELT**

Delete the standard attendant seat cushion. Install a high back bucket seat with built in child seat restraints and 3-point occupant restraint. The seat to be adjustable front to rear.

CBDL Locking Cabinet Base

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
--------	-----	-----	-------------------------	----------------

**GK140000 1 1 SEAT BELTS:**

Install standard seat belt package for use with HOPS.

Note: Requires Option #IG070000 (Squad bench end restraint for use with HOPS)

<b>H</b>	<b>INTERIOR CABINETRY, STREET SIDE</b>
----------	--

**HK000200 0 1 LINEN CLOSET WITH HEAT/AC UNIT IN BOTTOM**

A vertical storage cabinet shall be located behind the attendant seat. The upper storage area shall house the primary electrical distribution area. The lower section shall be used to house the vehicle heat/ac unit. The outer surface of this area will be covered with perforated stainless steel providing intake air to the heat/ac unit. The center section can be utilized for miscellaneous storage. The electrical distribution area and the center storage area shall be accessed through hinged doors.

The electrical distribution area shall include a Southco key lock/latching device. The entire cabinet shall be fabricated from aluminum and shall then be painted, unless otherwise specified.

OPTION #CB09SB00 MUST ALSO BE SELECTED WHEN THIS OPTION IS USED.

THE PASS THOROUGH WINDOW MUST BE RELOCATED IN THE BODY IN TYPE 1 VEHICLES.

**HK001000 1 1 HOPS SYSTEM:**

The unit is to be equipped with the HOPS system.

Note: Deletion of the system along with the selection of option #HK01A000 requires that the credit provided under HK01B000 be deleted.

**HK01B000 1 1 STREETSIDE WALL WITH CPR SEAT**

Street side wall to have CPR configuration.  
SEE DRAWINGS

Configure: street side cabinets to be 18" deep.

!!! TO HAVE CABINET BELOW INHALATION AREA WITH SLIDING PLEXI DOORS AND FULL LENGTH PULL HANDLES.

FIXED CENTER DIVIDER FRONT CEILING CABINET

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
HK01R000	0	2	<b>LIFT UP CABINET FRAMES: street-side</b> Fasten the Plexiglas door frame extrusion to a piano hinge secured to the cabinet wall. The complete frame and doors shall hinge open upward providing total access to the cabinet behind. The frame shall be held open with gas charged cylinders and secured in the down position with a sliding dead bolt. Locate: BOTH UPPER CABINETS	
HK01T000	0	1	<b>RECESSED-PULL OUT ASPIRATOR STORAGE IN MAIN CABINET RISER</b> The vehicle aspirator shall be install in a pull out drawer in the main cabinet riser. A recessed pocket will provide the storage for the pull out drawer and the pocket will be trimmed with aluminum diamond plate inside the exterior compartment. Locate: JUST FORWARD OF CPR SEAT BELOW INHALATION AREA Drawings #103677-1 & #103677-2 11" high x 12" wide x 11.625 deep. SOLID DOOR WITH NOTCH FOR HOSE. DRAWER TO BE NON-PAINTED WITH DA FINISH.	
HK02LU00	0	1	<b>STORAGE BENEATH THE CPR SEAT</b> A trimmed storage area shall be accessed by raising the hinged side attendant seat base cushion. TO HAVE .50" LIP FOR EASE OF OPENING	
HK02LU10	0	1	<b>RECESSED PADDLE LATCH FOR ACCESS BELOW THE CPR SEAT CUSHION</b> A recessed paddle latch will be installed in the cabinet riser to provide access to the CPR seat storage area.	
HK02LU20	0	1	<b>GAS HOLD OPEN FOR LIFT UP CPR SEAT CUSHION</b> A gas holdopen shall be installed to keep the CPR seat cushion in the upright position when opened.	
HK03D000	0	1	<b>PULL OUT DRAWER INSTALLATION IN MAIN CABINET WALL</b> Pull out drawer(s) shall be installed in the main cabinet wall at the locations listed below. Location: REAWARD OF CPR SEAT BELOW 2ND INHALATION AREA PER PRINT. DRAWER TO BE NON-PAINTED WITH DA FINISH. (6) ADJUSTABLE DIVIDERS HEAVY DUTY LOCKING LATCH	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
HK160000	0	1	<b>EXTRA SHELF: interior</b> Install an additional adjustable shelf. Locate: UPPER CABINET	
HK17G000	0	1	<b>SHARPES/WASTE STORAGE IN A TIP OUT DOOR IN MAIN CABINET WALL</b> Install both sharps and waste containers on a tip-out door within the main cabinet wall. The door shall be specifically located as noted below. Locate: BELOW PULL OUT DRAWER PER PRINT	
HSP00001	0	1	<b>SPECIAL INSTRUCTION, STREETSIDE CABINERY</b> !!! TO HAVE 45 DEGREE ANGELED PLEXI CABINET DOOR. RIGHT HAND HINGED WITH A SOUTHCO LATCH AND (1) ADJUSTABLE SHELF.	
<b>I INTERIOR CABINETS AND SQUAD BENCH, CURB SIDE</b>				
IA200000	1	1	<b>SQUAD BENCH STORAGE:</b> Storage shall be provided under the bench cushions. The area shall run where possible under the bench. The storage pan shall be fabricated from aluminum and shall be accessed by raising the split cushions. TO HAVE .50" LIP FOR EASE OF OPENING	
ig05f000	0	1	<b>SQUAD BENCH: DELETE CUPS AND WELLS</b> A 22" wide x 72" long bench cushion shall be provided on the curb side of the patient area. The cushion shall be split. No provisions for stretcher cups and wells are provided.	
IG070120	0	1	<b>HOPS END RESTRAINT USED WITH DUAL VERTICAL BOTTLE STORAGE</b> Install a restraint that is 19" above the seating surface at the head end of the bench. Standard for use in conjunction with HOPPS 3-point seat belts. Used in conjunction with option #IN09F000 dual vertical bottle storage. DWG #105075	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
IG10A000	1	1	<b>BENCH HOLD OPENS: gas</b> Install gas spring hold opens on squad bench lid.	
IG10Q000	1	1	<b>BENCH HOLD-DOWN: paddle latches (Pair)</b> Install recessed paddle latches into the squad bench riser to retain the squad bench lids in the closed position. The latches shall be both passive and positive.  DELETE (1) LATCH	
IG15B000	1	1	<b>BENCH BACK CUSHION: full size</b> Delete individual squad bench back cushions. Install full size cushion.	
IK17E000	0	1	<b>SHARPS/WASTE STORAGE IN A PULL OUT DRAWER IN SQUAD BENCH</b> Install a drawer in the face of the squad bench in the specific location noted below. This drawer will house both sharps and waste containers.  Locate: FORWARD PORTION UNDER SQUAD BENCH	
IK18AA00	1	1	<b>CURBSIDE OVERHEAD CABINET: hinged doors</b> Storage shall be provided above the squad bench. The storage shall run the full length of the squad bench and shall be accessed through hinged Plexiglas doors that are held in the open position with gas activated rods. The entire cabinet shall be fabricated from aluminum. The cabinet is to be 9" H to meet current K requirements.  TO HAVE FIXED CENTER DIVIDER	
IK280000	0	1	<b>PASS THROUGH ACCESS TO THE CURBSIDE REAR COMPARTMENT</b> Inside/outside access to the curbside rear compartment shall be provided as described. Width is to be determined by the location of any exterior divider and the height shall start 41" from the exterior compartment floor to interior closeout unless noted otherwise below.  Size: BOTTOM SHELF TO SCAB Door style: PLEXI	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
IN09F000	0	1	<b>"D" BOTTLE STORAGE IN HEAD OF BENCH FACING STEP WELL</b> Recessed storage for (2) F.W. #521 bottle brackets will be provided in the head of bench recessed through the floor. Access will be provided by an opening in the face of the bench facing the step well. (FW #521 brackets must be selected separately).  USING ZICO QR-D-2 BRACKETS ILO #521 BRACKETS	
<b>J INTERIOR CABINETS, FRONT</b>				
JAK03DP0	0	1	<b>FRONT WALL CABINET, DIAMOND PLATE INTERIOR:</b> The front wall cabinet shall be constructed of aluminum diamond plate instead of flat painted aluminum. All shelves in the cabinet shall also be made of diamond plate.	
JAK03G00	0	1	<b>GLOVE STORAGE ABOVE FRONT WALL CABINET</b> Storage for (2) glove boxes shall be provided in the header above the front wall cabinet. The face of the storage area will be covered in matching interior vinyl and include openings for access to each storage area. The header will be hinged for restocking or removal of glove boxes.  NOTE: REDUCE THE STANDARD CABINET HEIGHT 1" FOR THIS OPTION.  Note: This option on changeovers requires selection of option #JAK03A00.  !!! Use default box size: 10.5"W x 5.5"H x 4"D	
JE05R100	0	1	<b>ROBINSON ROLL UP DOOR, FULL HEIGHT</b> A full height Robinson roll up door shall be provided. The door is to include a lift bar latch with key lock.  REAR COIL	
JK040000	0	1	<b>PULL OUT DRAWER IN FRONT WALL CABINET</b> A pull out drawer will be installed in the front wall cabinet.  Size: RECESSED BEHIND ROLL UP DOOR TO BE 6"ID WITH (6) ADJUSTABLE DIVIDERS RUNNING FRONT TO BACK.  DRAWER TO BE ADJUSTABLE. DRAWER TO BE NON-PAINTED WITH DA FINISH.  HEVY DUTY LOCKING LATCH	



STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Oty	Header/Description/Data	Proposal Total
--------	-----	-----	-------------------------	----------------

K	MODULE INTERIOR ACCESSORIES AND TRIM			
---	--------------------------------------	--	--	--

KG02B000 2 2 IV HANGER, CAST PRODUCTS WITH RUBBER ARM

Cast products recessed IV hangers with rubber arms for attaching solution bags shall be installed in the designated locations.

Locate: Per prints WITH BACKER PLATES

KG09B000 1 1 CEILING GRAB RAIL: standard (2) 2ft rails or (1) 6ft rail anti-microbial

Cabinet wall "A" will have (1) 6' rail over cot as standard.  
Cabinet wall "B" will have (2) 2' rails, 1-forward and 1-to rear of CPR seat.

6' PER PRINT

KG09F000 0 1 GRAB RAIL: 8ft with anti-microbial coating

Install 8 foot main grab rail with anti-microbial coating.

Locate: PER PRINT

KG09I000 0 1 VERTICAL GRAB RAIL INSTALLATION, 2 FT. ANTI-MICROBIAL

Install 2' stainless steel grab rail with anti-microbial coating.

Locate: FRONT SIDE OF BOLSTER

KG09K000 1 1 PATIENT DOOR GRAB RAILS: angled with anti-microbial coating

All patient access doors to have heavy duty angled stainless steel grab rails with smooth radius corners and flange mounting and anti-microbial coating.

KG110000 1 1 FLOOR TRIM

Trim floor with cove molding at non rolled areas of floor.

KG120000 1 1 CABINET TRIM

Trim all vertical and horizontal edges.

KG16B000 1 1 CEILING MATERIAL, PLATINUM WHITE ALUMINUM COMPOSITE

The standard module ceiling material shall be platinum white aluminum composite.

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
KG17A000	2	2	<b>FIRE EXTINGUISHERS: 5lb ABC</b> Supply five pound fire ABC extinguisher(s). Ship loose, or identify mounting location(s). Locate: SHIP LOOSE	
KSP00001	0	1	<b>SPECIAL INSTRUCTION, INTERIOR ACCESSORIES &amp; TRIM</b> Glove storage for (2) glove boxes shall be provided in the header panel above the rear entry doors. Gloves to be accessed via oval cutouts in top hinged padded doors with a positive latch mechanism. !!! Use default box size: 10.5"W x 5.5"H x 4"D	
KSP00002	0	1	<b>SPECIAL INSTRUCTION, INTERIOR ACCESSORIES &amp; TRIM</b> !!! ADD CARGO NET TO HEAD OF BOLSTER AND REINFORCE CEILING.	

### L COT MOUNTS AND ACCESSORIES

LG03B500	0	1	<b>COT SAFETY HOOK</b> A yellow cot safety hook shall be installed on the floor near the rear doors. The provided hook shall match the manufacturer of the cot mount. SHIPPED LOOSE	
LG03F000	0	1	<b>COT MOUNT, SINGLE: Stryker</b> Install Stryker cot mount for single position. Cot Model: POWER PRO Locate: CENTER MOUNT BETWEEN RISERS.	

### MM ELECTRICAL EMERGENCY VISUAL WARNING SYSTEMS

MM030000	1	1	<b>WHELEN M SERIES LIGHTING OPTIONS:</b>	
----------	---	---	--	--

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
mm06rw00	0	2	<b>M6 SERIES LED, RED/WHITE SIDE TO SIDE SPLIT</b> Whelen M6 series L.E.D. lights shall be installed in the designated locations. Location: OVER REAR FENDERS. RED FORWARD. CLEAR LENS.	
mm07r000	0	1	<b>M7 SERIES LED, RED</b> Whelen M7 series L.E.D. lights shall be installed in the designated locations. Location: UPPER CORNER OF GRILL, DRIVERS SIDE. Lens color: CLEAR	
mm07w000	0	2	<b>M7 SERIES LED, WHITE WITH CLEAR LENS</b> Whelen M7 series L.E.D. lights shall be installed in the designated locations. Location: LOWER CORNERS OF GRILL.	
mm09a000	0	1	<b>M9 SERIES LED, AMBER</b> Whelen M9 series L.E.D. lights shall be installed in the designated locations. Location: REAR OF MODULE UPPER DRIVERS SIDE CORNER. Lens color: CLEAR	
mm09b000	0	1	<b>M9 SERIES LED, BLUE</b> Whelen M9 series L.E.D. lights shall be installed in the designated locations. Location: REAR OF MODULE UPPER CORNER PASSENGER SIDE Lens color: CLEAR	
mm09r000	0	10	<b>M9 SERIES LED, RED</b> Whelen M9 series L.E.D. lights shall be installed in the designated locations. Location: (2) STREET SIDE UPPER CORNERS (2) CURBSIDE UPPER CORNERS (2) REAR OF MODULE MID HEIGHT (1) REAR OF MODULE UPPER CENTERED ABOVE DOORS. (3) FRONT OF MOUDLE PER PRINTS. Lens color: CLEAR	
mm09w000	0	2	<b>M9 SERIES LED, WHITE WITH CLEAR LENS</b> Whelen M9 series L.E.D. lights shall be installed in the designated locations. Location: FRONT OF MODULE PER PRINTS	
MM10L000	0	3	<b>L.E.D. WARNING: patient entry door (EACH)</b> Install custom made L.E.D. light strips on the interior patient entry door panels. The light strips shall have a integral lens strip for maximum light disbursement. Installation will be flush with the inner door panel. The light strip shall flash when the door is open, and the red flashing light circuit is activated. Color: R/A/R/A Location: UPPER PORTION OF ENTRY DOORS PER PRINTS	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
MM700000	0	1	<b>FLASHING SEQUENCE FOR LED LIGHTING</b> Specify flash pattern programming for selected or all applicable warning lights:  Lights: ALL EMERGENCY  PROGRAM ALL M-SERIES LIGHTING, UNLESS OTHERWISE NOTED, FOR STD RATE DOUBLE FLASH PATTERNS WITH ABILITY TO SET THE INTERNAL FLASH PATTERNS AT THE LIGHT HEADS.	
MM800000	0	1	<b>WHITE LIGHT CUTOFF SWITCH</b> A switch shall be installed in the front control panel that will deactivate all forward facing white flashing lights. This include wig-wag flashers.	
MMSP0010	0	1	<b>SPECIAL INSTRUCTION, VISUAL EMERGENCY WARNING SYSTEMS</b>  !!! ADD (1) M9 GREEN TO FRONT OF MODULE PASSENGER SIDE PER PRINTS.  !!! ADD (1) M7 GREEN GRILL LIGHT TO UPPER PASSENGER CORNER OF FRONT GRILL.	
MMSP0020	0	1	<b>SPECIAL INSTRUCTION, VISUAL EMERGENCY WARNING SYSTEMS</b>  Install a Whelen 700 series #702000CU clear strobe head with chrome flange centered on the front face. Wire to a Tomar #3065-R-OML power supply to function as an Opticom. Wire through the neutral safety switch to cancel in "Park". Provide a separate on/off switch labeled "Opticom" in front control panel.	
MMSP0030	0	1	<b>SPECIAL INSTRUCTION, VISUAL EMERGENCY WARNING SYSTEMS</b>  (2) RED/WHITE M2 LIGHTS MOUNT ABOVE CHASSIS FRONT FENDERS PER PRINTS. RED FORWARD, CLEAR LENS.	
MN			<b>AUDIBLE EMERGENCY WARNING SYSTEMS</b>	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
MN09F500	0	1	<b>AIR HORNS: under bumper FORD F-SERIES</b> Install (2) Buell #1061 10" trumpets under the front bumper recessed into the air dam valance. System to include a #16122 compressor and remote air tank. The air horns can only be activated when the vehicle is in gear.  Configure: INSTALL (1) 10" AND (1) 12" TRUMPET BELOW BUMPER PER QVM REQUIREMENTS. INCLUDE A VELVAC #035105 RESERVOIR TANK. Activate: VIA (2) CHROME SWITCHES IN FRONT CONSOLE.	
MN35D100	0	1	<b>SIREN: CARSON SA-441 MAGFORCE</b> Specified siren to be: Carson SA-441 MagForce  Console location: TBD	
MN40A000	1	1	<b>SIREN INSTALL:</b> The siren listed above shall be supplied and mounted as defined.	
MN45DH00	1	1	<b>SIREN SPEAKERS: C.P. SAD3806 &amp; SAP3806 RECESSED IN BUMPER</b> Cast Products #SAD3806 & SAP3806 siren speakers shall be recess mounted into the ends of the chassis bumper.  For use with current model F-Series chassis.	
MN50A000	1	1	<b>SPEAKER INSTALL: bumper</b> Speaker Selections (Bumper Installed)	
<b>O LIGHTS</b>				

OL09M000 0 1 **KKK SIDE BODY MARKER LIGHTS, M6 SERIES L.E.D. (PAIR)**  
Install red Whelen L.E.D. M6 series turn/marker lights on each rear side of the module body. Lights provide module body night time side lighting visibility and turning signal indication.  
  
LOCATE PER PRINTS ON REAR EXTERIOR DOORS.

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
OL34L000	1	1	<b>LED EXTERIOR COMPARTMENT LIGHTING</b> All exterior compartments will be lighted with LED strip lighting. A vertical strip will be installed inside both sides of each compartment. The lights shall be directed toward the back of the compartment.  Note: This does not include wheelwell compartments.	
OL350000	1	1	<b>ICC MARKER LIGHTS</b> LED ICC marker lights shall be installed.  NEW STYLE LIGHTS	
OL41B000	0	1	<b>RUNNING BOARD LIGHTS, WHELEN PAR 16 L.E.D.</b> Clear Whelen Par 16 round L.E.D. lights mounted in chrome flanges shall be installed in the front of the module body. Locate in the stainless steel stone guard above the running boards. The lights shall be wired to the chassis door switch and illuminate the step/running board.  REQUIRES PRE-PUNCHED STONE GUARDS DH030000 or DH03B000.  WIRE BATTERY HOT.	
OM25CW0	0	6	<b>M9 SERIES LED SCENE LIGHT</b> Install Whelen M9 series LED side scene lights.  Locate: (2) STREETSIDE UPPER CORNERS (2) CURBSIDE UPPER CORNERS (2) REAR OF MODULE ABOVE REAR DOORS PER PRINTS	
OM26C000	0	2	<b>WHELEN PFA2 DUAL PANEL SUPER LED FLOODLIGHT</b> Install a Whelen PFA2 super LED floodlight as noted below. Install using a PBA203 semi-recess housing.  Quantity: 2 Locate: CENTERED ON CURBSIDE AND STREET SIDE PER PRINTS	
OM30D000	0	1	<b>TAIL LIGHTS, M6 SERIES</b> Whelen M6 series brake/tail, amber arrow turn and backup lights to be installed in the selected location.  Locate: IN REAR RISER. DELETE 600 TURN ARROWS.	
OSP00001	0	1	<b>SPECIAL INSTRUCTION, ELECTRICAL</b>  !!! SUPPLY AND INSTALL A PAIR OF M9 TURN ARROWS ABOVE RISER ON REAR OF BODY PER DRAWINGS.	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
OSP00002	0	1	<b>SPECIAL INSTRUCTION, ELECTRICAL</b>  !!! INSTALL WHELEN LED STRIP LIGHTING IN C CHANNEL RUB RAILS. THREE LIGHTS PER SIDE EACH IN R/W/R CONFIGURATION.	
OSP00003	0	1	<b>SPECIAL INSTRUCTION, ELECTRICAL</b>  !!! SUPPLY AND INSTALL TECNIQ E-10 SERIES GROUND LIGHTS ON THE ANGLED BRACKETS THAT COME WITH THE LIGHTS. Locate: (1) AT EACH BODY CORNER PER PRINTS.  !!! PROGRAM ALL LIGHTS TO ACTIVATE WITH HEADLIGHT ACTIVATION WHEN VEHICLE IS PLACED IN PARK.	
OSP00004	0	1	<b>ELECTRICAL LIGHTING, SPECIAL INSTRUCTION</b>  !!! INSTALL 3 WHELEN OS LIGHTS ON REAR HEADPAD PER PRINT TO BE BRAKE AND TURN INDICATORS.	

<b>P</b>	<b>ELECTRICAL POWER GROUP</b>
----------	-------------------------------

PAL00003	1	1	<b>INTELLIPLEX MULTIPLEX ELECTRICAL SYSTEM:</b> Install the Intelliplex Multiplex electrical system.  TO HAVE BACK UP CAMERA INTEGRATED INTO HORTON I4G  !!! PROVIDE COPIES OF THE PROPOSED SWITCH PANEL LAYOUTS FOR DEALER REVIEW AND APPROVAL.	
PAL00A00	0	1	<b>MODULE DISCONNECT DEFAULT</b> The module disconnect circuit shall default to the "on" position when the battery switch is activated.  !!! PROGRAM THE SWITCHES OF THE REAR CONTROL PANEL TO DEFAULT TO "OFF" UPON BATTERY SWITCH ACTIVATION.	
PAL01C00	0	1	<b>INPOWER ELECTRONIC BATTERY SWITCH</b> Install an Inpower electronic battery switch. Switch is to activate battery power through the vehicle ignition and is to include an automatic shutdown timer to deactivate battery power after the ignition is turned off.  Shut down timer interval: 5 minutes	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
PAL02200	1	1	INVERTER INSTALL OPTIONS:	
	0	1	INVERTER:20-1050CUL w/charger, interface	
pal02k00			A Vanner #20-1050CUL combination inverter /charger shall be installed in the vehicle's designated electrical equipment location. Included will be a Vanner Interface Module, Inverter Status Panel, and Charger Status Panel. A switch will be installed in the inhalation panel for inverter activation. The charger will be wired to the shoreline circuit.  Locate:	
PAL30A00	2	4	110V INTERIOR OUTLET	
			Two 110V interior outlets are provided as standard on all models. The standard locations are in the inhalation area and the wall over the squad bench. Additional outlets are to be specified as to their location.  Locate: (2) FRONT WALL CABINET UPPER LH CORNER Locate: (1) INHALATION AREA LOWER RH CORNER Locate: (1) 2ND INHALATION AREA LOWER RH CORNER	
PAL31C00	3	3	INTERIOR 12VDC OUTLETS: cigarette lighter type	
			12 volt outlets to use cigarette lighter style connectors.  Locate: (1) Inhalation area LOWER RH CORNER Locate: Front wall cabinet UPPER LH CORNER Locate: (1) 2ND INHALATION AREA LOWER RH CORNER Configure: BATTERY HOT	
PAL38E00	0	1	SHORELINE, KUSSMAUL SUPER AUTO EJECT, 20 AMP NON ARCING	
			Install a 20 amp Kusssmaul non-arcing auto ejection shoreline receptacle.  Locate: Street side of module body  !!! KUSSMAUL EZ PLATE 091-185-099 WHITE PLATE.	
PAL40000	1	1	EXTRA 12VDC CIRCUIT BREAKER:	
			An extra circuit breaker shall be installed.	
PL10A000	1	1	SWITCH PANEL MOUNT:	
			Switch panel to be flush mounted in upper face of console.	



STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
PL11A000	0	1	<b>LIGHT PROGRAMMING: side rear scene</b> The side rear scene lights shall be wired to transmission reverse, plus standard mode of operation.	
PL11B000	0	1	<b>LIGHT PROGRAMMING: right side scene</b> The right side scene lights shall come "on" when the side patient door is opened.	
PL11C000	0	1	<b>LIGHT PROGRAMMING: load light</b> The rear load lights shall be wired to transmission reverse, plus the standard mode of operation.	
PL11F000	1	1	<b>PROGRAMMING: AUDIBLE LOW VOLTAGE ALARM</b> Program an audible alarm to activate if the voltage drops below 11.8 volts for 120 seconds.	
PL11G000	1	1	<b>LIGHT PROGRAMMING: park brake</b> A warning shall display on the front console readout, advising to set the Parking Brake, should the modular disconnect switch be "ON" and the transmission placed in "PARK" or "NEUTRAL". It will also advise to Disengage the Parking Brake should the vehicle be placed into gear.  Configure: wire alarm to activate with red flasher circuit	
PL190000	1	1	<b>REPORT LIGHT:</b> A report light shall be located at the action wall to light the counter area  USE TECNIQ #35-WBOO-1 12.6" LED ILOS - REPORT LIGHT	
PL20E000	0	1	<b>CLOCK, INTELLITEC LED</b> Install an Intellitec Time Manager clock.  Locate: CENTERED IN HEADPAD ABOVE REAR DOORS	
PL22B000	0	1	<b>STEP WELL LIGHT:</b> Install Tecniq stepwell lighting for the right side patient door. Light to come on when door is opened.  Location: RIGHT SIDE OF STEP WELL	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
PL24T000	0	1	<b>LAMP TIMER: programmable</b> Install an electronic momentary touch timer switch where specified. The switch will enable time limited operation of the below listed lights, with the battery switch in the off position.  Locate: FRONT BOLSTER STEP WELL FACING PER PRINT Light(s) Controlled: DOMES SET ELAPSED TIME FOR 15 MINUTES	
PL27CA00	0	10	<b>PATIENT CEILING DOME LIGHTS: WHELEN LED</b> Install Whelen 80C0EHCR LED dome lights in the patient area ceiling per the locations listed below. The lights will have a high/low feature with the switch in the rear control panel.  (A minimum of seven lights are required for lighting compliance) Locate: (5) OVER COT, (5) OVER BENCH	
PL29A000	0	1	<b>SPOT LIGHT: hand held</b> Install an Optronics 400,000 CP hand held spotlight with momentary switch in the location noted below.  Locate: On bulkhead behind PASSENGER seat.	
PL29P000	0	1	<b>PREWIRE FOR FUTURE STREAMLIGHT INSTALLATION</b> Prewire shall be provided as noted below for future installation of Streamlight charger bases.  Quantity:1 Locate: STREET SIDE REAR COMPARTMENT FORWARD WALL LOWER CORNER	
PM110000	0	1	<b>LIGHT PROGRAMMING: brake light</b> Lower red flashing lights to operate as brake lights when not in the warning mode.  Configure: flashers to override brake light feature Note: feature to activate regardless of module disconnect status	

### Q HEATING, AIR CONDITIONING AND INTERIOR ENVIRONMENT

QH29F100	1	1	<b>HEAT/AC SYSTEM FORD F SERIES CHASSIS</b> Install a ProAir 12V heat/AC system below the attendant seat. Unit is to include a replaceable filter at the air intake point.	
----------	---	---	---	--

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
QH29F500	1	1	<b>RECEIVER/DRYER KIT, ALL FORD F-SERIES CHASSIS</b> Receiver/dryer kit #63 000 744 w/pressure switch shall be installed in the air conditioning system.	
QL43N000	1	1	<b>NFPA COMPLIANT VENTING</b> Install an NFPA style venting system to include a 400cfm exhaust vent along with a static vent. Install 9.5" square polished covers on both vents per drawings.  PAINTED TO MATCH BODY	
<b>R CAB CONSOLE AND COMMUNICATIONS</b>				
RJ01A000	1	1	<b>ANTENNA COAX 1:</b> An RG 58U coax shall be installed so that the ambulance conversion need not be disassembled.  Exterior Termination: MODULE ROOF Interior Termination: FRONT CONSOLE	
RJ01B000	0	1	<b>ANTENNA COAX 2:</b> Install additional antenna coax and accesses.  Exterior Termination: MODULE ROOF Interior Termination: FRONT CONSOLE	
RJ01C000	0	1	<b>ANTENNA COAX 3:</b> Install additional antenna coax and accesses.  Exterior Termination: MODULE ROOF Interior Termination: INHALATION PANEL	
RJ03MN00	0	3	<b>ANTENNA: NMO type mount.</b> Supply and install NMO type antenna base as designated. This option is less the antenna coax. An antenna coax option must be selected to be installed.  Coax Number(s): ALL LOCATIONS	
RJ040000	1	1	<b>RADIO CABLE PULL WIRE</b> A standard pull wire for radio installation shall be installed from behind the driver's seat to behind the inhalation panel. Wire is to run in a 3" conduit.	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
RJ05B000	1	1	<b>FRONT CONSOLE:</b> A console shall be fabricated to coordinate with the interior cab color. Room shall be provided on the face of the console for installation of radio and siren controls.	
RJ05C000	0	1	<b>CONSOLE EXTENSION:</b> A box for mounting radio heads and storage maps, books, or binders will be attached to the standard engine cover console. Standard box includes (3) 2.5 storage sections, and 8.5 faceplate for radio mounting.	
RJ08A000	0	2	<b>RADIO POWER/GROUND:</b> Install three 6 gauge cables to positive and ground studs for radio power. Wire one constant hot, one ignition hot and one ground.  Locate: INHALATION PANEL AND FRONT CONSOLE Configure: battery switched, battery hot and ground	
<b>T OXYGEN AND SUCTION</b>				
TN002000	1	1	<b>OXYGEN BOTTLE MOUNT, VERTICAL TRACK FOR QRM-V</b> Vertical track for mounting of a QRM-V O2 bottle mount shall be welded on the back wall of the compartment in the right hand corner. The O2 bottle mount is adjustable for "M" or "H" size tanks.	
TN01MW00	1	1	<b>OXYGEN BOTTLE, CYLINDER BRACKET: Zico</b> Zico QRM-V oxygen bracket shall be installed.  Locate: standard location Tank Size: "M"	
TN020000	0	1	<b>OXYGEN ACCESS:</b> A clear Plexiglas door shall be provided in the patient area wall for access to the oxygen cylinder valve. The door shall be hinged so that it swings into the oxygen cylinder storage compartment. The opening shall be trimmed with anodized aluminum edging. O.D. dimension of the access is 7" wide x 11" high.  TO OPEN INTO PATIENT AREA WITH SOUTHCO FLUSH PULL RING.	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
TN030000	2	2	<b>OXYGEN OUTLETS, STANDARD</b> Two oxygen outlets shall be provided as standard and shall be located in the inhalation panel.	
TN03A000	0	1	<b>OXYGEN OUTLET: additional</b> Install additional oxygen outlet(s). Locate: CEILING PER PRINT	
TN03RL00	0	1	<b>OXYGEN OUTLET: relocate</b> Relocate (1) of the standard action area oxygen outlets to the new location listed below. Locate: CURBSIDE WALL PER PRINT	
TN04A000	0	1	<b>ADAPTER TYPE: Ohio Diamond II</b> Oxygen outlets to be Ohio Diamond II.	
TN060000	1	1	<b>OXYGEN WRENCH:</b> Install oxygen wrench in oxygen compartment. Mount secure so not left hanging. Mount with length of chain or cable so not removable. RH WALL OF COMPARTMENT	
TN08B100	0	2	<b>D BOTTLE MOUNT: QR-D-2 SINGLE, STRAPLESS</b> Install a Zico QR-D-2 Quic-release strapless d-cylinder oxygen bracket. Locate: IN RECESSED STEP WELL	
TN100000	1	1	<b>VACUUM OUTLET: inhalation wall</b> A single vacuum panel shall be installed in the inhalation area. The outlet shall be of the same style as the oxygen system and hooked to the onboard vacuum pump. Locate: IN PULL OUT SUCTION DRAWER	
TN11B000	0	1	<b>ASPIRATOR: SSCOR</b> Install an SSCOR aspirator. The system shall include a #107CDC20 pump, #22000 wall mounted regulator, and a #23002 canister holder.	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

Option	Std	Qty	Header/Description/Data	Proposal Total
--------	-----	-----	-------------------------	----------------

U			LETTERING	
---	--	--	-----------	--

UP08D000	0	1	<b>STAR OF LIFE 36: (each)</b> Install 36" star of life. Locate: MODULE ROOF	
UP180000	1	1	<b>DOOR REFLECTORS</b> Install 2" x 12" strips of red Scotchlite at the top of each entry door placed horizontally.	
Z04	0	1	<b>Fuel, Tags, Etc.</b> Allowance for fuel, tags and administrative.	
Z06	0	1	<b>STATE CONTRACT:</b> This vehicle is subject to state contract pricing. NWMC NON MEMBER	
Z13	0	1	<b>Dealer Prep. and Dealer Delivery</b> Allowance for vehicle preparation and delivery.	
Z15	0	1	<b>NOTES:</b> Note.  DEALER ITEMS: LETTERING PURCHASE AND INSTALL SET OF GLOVE BOXES IN DOOR PANELS PURCHASE AND INSTALL (2) FIRE VULCANS W TAILLIGHT PURCHASE AND INSTALL (2) AIR PACK BRACKETS FOR SCOTT AIR PACKS PURCHASE AND INSTALL (4) COAT HOOKS SET OF VALVE STEM EXTENSIONS (1) DIAL TYPE FLOW METER VISION STARS FOR REAR WINDOWS	

STICKNEY FIRE DEPARTMENT  
6433 43RD ST  
STICKNEY, IL 60402  
DAN KUFFEL



## Selected Feature List 11844

Year: 2015  
Chassis: Ford Type I, 189" WB, 108"  
Model: 623

<u>Option</u>	<u>Std</u>	<u>Qty</u>	<u>Header/Description/Data</u>	<u>Proposal Total</u>
---------------	------------	------------	--------------------------------	-----------------------

Total Configured Cost \$196,889.00

Authorized Department Signature(s): \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



**Stickney-Forest View  
Public Library District**

*"A Welcoming Place Offering A Sense of Community"*

6800 West 43<sup>rd</sup> Street  
Stickney, IL 60402  
Phone: 708.749.1050  
Fax: 708.748.3828

Village of Stickney  
6533 West Pershing Road  
Stickney, Illinois 60402

April 30, 2014

Dear Village of Stickney Trustees

The Stickney-Forest View Public Library District is requesting your permission to hold our 5<sup>th</sup> annual Summer Read Kick off Block Party on Saturday, June 7<sup>th</sup>, 2014 from 11:00am-1:00pm. The Library will be closed for service with the exception of the Oak Park Avenue entrance where restroom access will be provided to the public.

**Event Overview**

The Library requests the closing of the alley between Grove and Oak Park Avenue and 43<sup>rd</sup> Street from Oak Park Avenue to Grove. We request that this area be closed from 7:00am (for set up) until approximately 2:30pm for cleanup. The event will commence with Max Wilhelm celebrity BMX stunt rider performing in the area between the Library and St. Pius X for approximately 45 minutes. After his performance he will be signing autographs. All other activities will take place outside, on the Library property. Activities will include a petting zoo, a red carpet photo booth, face painting, a balloon artist, summer reading sign up stations, the Stickney firemen and fire truck, hot dogs, refreshments and tables for eating lunch. The Friends of the Library will be holding their book and bake sale in the Library's garage. Music will be provided by a d-jay.

I have been given permission by Father Anthony Markus from St. Pius X to hold the event, and they are supportive of this event.

Please do not hesitate to contact me should you have any questions, comments or concerns regarding the Stickney-Forest View Public Library District's Summer Read Block Party Kickoff event. I hope to see you all there!

Sincerely,

Heather E. Shlah, Library Director  
Stickney-Forest View Public Library District  
6800 W. 43<sup>rd</sup> Street  
Stickney, IL 60402  
708.749.1050 x160  
shlahh@sfpvpld.org



VILLAGE OF STICKNEY  
6533 W. PERSHING ROAD  
STICKNEY, IL 60402-4018  
708-749-4400 FAX: 708-749-4451

### BLOCK PARTY APPLICATION

BLOCK INVOLVED: 43<sup>rd</sup> St + Oak Park up to and including the alley behind the Library

CONTACT PERSON/ORGANIZER:

NAME: Heather Shlah / Stickney - Forest View Public Library

ADDRESS: 6800 W 43rd Street Stickney, IL 60402

PHONE NUMBER: 708 749 1050 ext 160

DATE OF EVENT: June 7<sup>th</sup> HOURS: Event 11-1

STREETS TO BE BLOCKED OFF:

Setup 8am  
Tear down 1-2:30

The Section of 43<sup>rd</sup> Street between the Library and St. Pius X between Oak Park + 43<sup>rd</sup> up to and including the alley way behind the Library.

WILL THERE BE A BAND, DISC JOCKEY OR ANY AMPLIFIED MUSIC OR ANNOUNCEMENTS?

YES: ☒ NO: ☐

IF YES, NAME OR THE BAND OR DISC JOCKEY:

Sky Jumps Inc. Jim Martin

NOTE: HOURS FOR THE BLOCK PARTY ARE LIMITED FROM 10:00 a.m. UNTIL 10:00 p.m.

AT THE CLOSE OF THE BLOCK PARTY, THE ORGANIZER MUST CLEAN UP AND RESTORE ALL PUBLIC PROPERTY TO THE CONDITION THAT IT WAS IN PRIOR TO THE BLOCK PARTY.

VILLAGE OF STICKNEY  
6533 W. PERSHING ROAD  
STICKNEY, ILLINOIS 60402-4018  
PHONE: 708-749-4400 FAX: 708-749-4451

RECEIVED  
MAY 14 2014  
VILLAGE OF STICKNEY

HOLD HARMLESS AGREEMENT

Date: May 6, 2014

Name of Organization or resident: Stickney/Forest View Library

Contact person: Director Heather Shlah

Phone: 708-749-1050 ext. 160

Event: Block Party

Event Date: June 7, 2014 The event begins at 8:00 a.m. with set up starting at 7:00 a.m. The event ends at 2:00 p.m. with clean up going to 2:30 p.m.


Streets/Alley to be blocked off: The section of 43<sup>rd</sup> Street between the Library and Saint Pius X between Oak Park Avenue and the alleyway west of the library. This includes the alleyway going north directly behind the library up to the tot park.

Music: Disc Jockey

Entertainment: Max Wilhelm celebrity BMX stunt rider, Petting Zoo, photo booth, balloon artist

This group shall indemnify and hold harmless the Village of Stickney and its officials, employees and agents from and against all claims for bodily injury or property damage, including claims against the Village of Stickney, its officials, agents or employees, arising out of permission granted to the group to conduct certain activities in the Village; such as, including but not limited to, delivering flyers, conducting tag or candy days on the streets and sidewalks, going door-to-door, using the Public Works Department Pavilion, conducting a parade, hosting a block party etc.; and, all losses and expenses, including attorney fees that may be incurred by the Village of Stickney defending such claims, arising out of or resulting in whole or in part from the performance of the activity for which permission was granted and caused by any negligent act or omission of the Village of Stickney, its officials or anyone directly or indirectly employed by them or anyone for whose acts any of them may be liable, regardless of whether or not it is caused in part by a party indemnified hereunder.

In any and all claims against the Village of Stickney, its officials or any of its agents or servants by the organization, anyone directly or indirectly employed by any of them or anyone for whose acts any of them may be liable, the indemnification obligation under this paragraph shall not be limited in any way by any limitation the amount or type of damage, compensation or benefits.

  
Signature of person circulating the signature  
agreement form

Date: 05/14, 2014.

*Heather Shlah, Director*

This form must be returned at the time the application is submitted for approval to:

Audrey McAdams, Village Clerk